


New technique to study superheavy elements

July 13 2020



Laser resonance chromatography will initially be used to investigate lawrencium, element 103. Credit: Mustapha Laatiaoui


Superheavy elements are intriguing nuclear and atomic quantum systems

that challenge experimental probing as they do not occur in nature and, when synthesized, vanish within seconds. Pushing the forefront of atomic physics research to these elements requires breakthrough developments towards fast atomic spectroscopy techniques with extreme sensitivity. A joint effort within the European Union's Horizon 2020 Research and Innovation program and led by Dr. Mustapha Laatiaoui from Johannes Gutenberg University Mainz (JGU) culminated in an optical spectroscopy proposal: The so-called Laser Resonance Chromatography (LRC) should enable such investigations even at minute production quantities. The proposal has recently been published in two articles in *Physical Review Letters* and *Physical Review A*.

Superheavy elements (SHEs) are found at the bottom part of the periodic table of elements. They represent a fertile ground for the development of understanding on how such exotic atoms can exist and work when an overwhelming number of electrons in atomic shells and protons and neutrons in the nucleus come together. Insights into their electronic structure can be obtained from optical [spectroscopy](#) experiments unveiling element-specific emission spectra. These spectra are powerful benchmarks for modern atomic-model calculations and could be useful, for example, when it comes to searching for traces of even [heavier elements](#), which might be created in neutron-star merger events.

LRC approach combines different methods

Although SHEs were discovered decades ago, their investigation by optical spectroscopy tools falls far behind the synthesis. This is because they are produced at extremely low rates at which traditional methods simply do not work. So far, optical spectroscopy ends at nobelium, element 102 in the periodic table. "Current techniques are at the limit of what is feasible," explained Laatiaoui. From the next heavier element on, the physicochemical properties change abruptly and impede providing samples in suitable atomic states."



Laser resonance chromatography is based on optical excitations of ions and subsequent detection of their arrival at the detector. Credit: Mustapha Laatiaoui

Together with research colleagues, the physicist has therefore developed the new LRC approach in optical spectroscopy. This combines element selectivity and spectral precision of laser spectroscopy with ion-mobility mass spectrometry and merges the benefits of a high sensitivity with the 'simplicity' of optical probing as in laser-induced fluorescence spectroscopy. Its key idea is to detect the products of resonant optical excitations not on the basis of fluorescent light as usual, but based on their characteristic drift time to a particle detector.

In their theoretical work, the researchers focused on singly charged lawrencium, element 103, and on its lighter chemical homolog. But the concept offers unparalleled access to laser spectroscopy of many other monoatomic ions across the periodic table, in particular of the transition

metals including the high-temperature refractory metals and elements beyond lawrencium. Other ionic species like triply-charged thorium shall be within reach of the LRC approach as well. Moreover, the method enables to optimize signal-to-noise ratios and thus to ease ion mobility spectrometry, state-selected ion chemistry, and other applications.

Dr. Mustapha Laatiaoui came to Johannes Gutenberg University Mainz and the Helmholtz Institute Mainz (HIM) in February 2018. In late 2018, he received an ERC Consolidator Grant from the European Research Council (ERC), one of the European Union's most valuable funding grants, for his research into the heaviest elements using laser spectroscopy and ion mobility spectroscopy. The current publications also included work that Laatiaoui had previously carried out at GSI Helmholtzzentrum für Schwerionenforschung in Darmstadt and at KU Leuven in Belgium.

More information: Mustapha Laatiaoui et al. Laser Resonance Chromatography of Superheavy Elements, *Physical Review Letters* (2020). [DOI: 10.1103/PhysRevLett.125.023002](https://doi.org/10.1103/PhysRevLett.125.023002)

Mustapha Laatiaoui et al. Exploiting transport properties for the detection of optical pumping in heavy ions, *Physical Review A* (2020). [DOI: 10.1103/PhysRevA.102.013106](https://doi.org/10.1103/PhysRevA.102.013106)

Provided by Universitaet Mainz

Citation: New technique to study superheavy elements (2020, July 13) retrieved 26 April 2024 from <https://phys.org/news/2020-07-technique-superheavy-elements.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.