


Physicists discover new two-dimensional material

August 25 2020, by Bob Whitby



Credit: CC0 Public Domain

University of Arkansas scientists are part of an international team that has discovered a two-dimensional ferroelectric material just two atoms thick.

Two-dimensional materials are ultrathin membranes that hold promise for novel optoelectronic, thermal, and mechanical applications, including ultra-thin data-storage devices that would be both foldable and information dense.

Ferroelectric materials are those with an intrinsic dipole moment—a measure of the separation of positive and [negative charges](#)—that can be switched by an [electric field](#), said Barraza-Lopez. "For example, a single water molecule has an intrinsic electron dipole moment as well, but the thermal motion of individual water molecules under ordinary conditions (for instance, in a [water bottle](#)) prevents the creation of an intrinsic dipole moment over macroscopic distances."

There has been a vigorous push by researchers to deploy atomically thin, two-dimensional ferroelectrics in the past five years, he said. The new material discovered by the team, a tin selenide monolayer, is only the third two-dimensional ferroelectric belonging to the chemical family of group-IV monochalcogenides that has been experimentally grown thus far. In addition to U of A scientists the team included researchers from the Max Planck Institute for Microstructure Physics in Germany and the Beijing Academy of Quantum Information Sciences in China. The discovery was described in a paper published in the journal *Nano Letters*.

Using a [scanning tunneling microscope](#), researchers switched the electron dipole moment of tin selenide monolayers grown on a graphitic substrate. Calculations performed by U of A graduate student Brandon Miller verified a highly oriented growth of this material on such substrate.

The experimental deployment of these materials helps corroborate theoretical predictions underlying truly novel physical behavior. For example, these semiconducting ferroelectric materials undergo [phase transitions](#) induced by temperature in which their intrinsic electric dipole

is quenched (individual intrinsic electric dipoles fluctuate like they do in water); they also host non-linear optical effects that could be useful for ultra-compact optoelectronics applications.

More information: Salvador Barraza-Lopez et al. Water Splits To Degrade Two-Dimensional Group-IV Monochalcogenides in Nanoseconds, *ACS Central Science* (2018). [DOI: 10.1021/acscentsci.8b00589](https://doi.org/10.1021/acscentsci.8b00589)

Provided by University of Arkansas

Citation: Physicists discover new two-dimensional material (2020, August 25) retrieved 10 May 2024 from <https://phys.org/news/2020-08-physicists-two-dimensional-material.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--