

There is at least 10 times more plastic in the Atlantic than previously thought

August 18 2020



A graphic showing the new estimated mass of microplastic in the Atlantic against the previous estimate. Credit: The National Oceanography Centre

The mass of 'invisible' microplastics found in the upper waters of the



Atlantic Ocean is approximately 12- 21 million tons, according to research published in the journal *Nature Communications* today.

Significantly, this figure is only for three of the most common types of <u>plastic</u> litter in a limited size range. Yet, it is comparable in magnitude to estimates of all plastic waste that has entered the Atlantic Ocean over the past 65 years: 17 million tons. This suggests that the supply of plastic to the <u>ocean</u> have been substantially underestimated.

The lead author of the paper, Dr. Katsiaryna Pabortsava from the National Oceanography Centre (NOC), said "Previously, we couldn't balance the mass of floating plastic we observed with the mass we thought had entered the ocean since 1950. This is because earlier studies hadn't been measuring the concentrations of 'invisible' microplastic particles beneath the <u>ocean surface</u>. Our research is the first to have done this across the entire Atlantic, from the UK to the Falklands."

Co-author, Professor Richard Lampitt, also from the NOC, added "if we assume that the concentration of microplastics we measured at around 200 meters deep is representative of that in the water mass to the seafloor below with an average depth of about 3000 meters, then the Atlantic Ocean might hold about 200 million tons of plastic litter in this limited polymer type and size category. This is much more than is thought to have been supplied."

"In order to determine the dangers of plastic contamination to the environment and to humans we need good estimates of the amount and characteristics of this material, how it enters the ocean, how it degrades and then how toxic it is at these concentrations. This paper demonstrates that scientists have had a totally inadequate understanding of even the simplest of these factors, how much is there, and it would seem our estimates of how much is dumped into the ocean has been massively underestimated."





Dr Katsiaryna Pabortsava in the microplastics lab at the National Oceanography Centre. Credit: The National Oceanography Centre

Pabortsava and Lampitt collected their seawater samples during the 26th Atlantic Meridional Transect expedition in September to November 2016. They filtered large volumes of seawater at three selected depths in the top 200 meters and detected and identified plastic contaminants using state-of-the-art spectroscopic imaging technique. Their study focussed on polyethylene, polypropylene and polystyrene, which are commercially most prominent and also most littered plastic types.

More information: High concentrations of plastic hidden beneath the surface of the Atlantic Ocean, *Nature Communications* (2020). <u>DOI:</u>



<u>10.1038/s41467-020-17932-9</u>, www.nature.com/articles/s41467-020-17932-9

Provided by National Oceanography Centre, UK

Citation: There is at least 10 times more plastic in the Atlantic than previously thought (2020, August 18) retrieved 10 July 2024 from <u>https://phys.org/news/2020-08-plastic-atlantic-previously-thought.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.