

## A novel betavoltaic technology with dyes for better energy production

September 4 2020





## ChemComm

Chemical Communications

rsc.li/chemcomm



ISSN 1359-7345



COMMUNICATION Su-II In et al. C-14 powered dye-sensitized betavoltaic cells

The diagram shows the inside of a betavoltaic cell and explains the flow of



electrons inside the battery. Credit: DGIST/Royal Society of Chemistry

Electronic devices are becoming smaller, more connected, and more powerful; and they still have one thing in common: they need energy to function. Even miniature implantable medical devices and remote Internet-of-Things sensors need some amount of power to run, making it a challenge to design equally small, efficient, and durable batteries for them.

One of the alternatives that could potentially be the answer to these problems is the "betavoltaic cell." These cells are a type of power source akin to photovoltaic cells that, instead of producing an electric current by capturing visible or <u>ultraviolet light</u>, creates electricity using a type of radiation (beta decay) generated internally by a radioactive material. The biggest issue with existing betavoltaic cells is their low conversion efficiency. This means that only a very tiny portion of the emitted radiation can be converted into <u>electric energy</u>.

In a recent study published in *Chemical Communications* and selected as the cover image of its July issue, scientists from Daegu Gyeongbuk Institute of Science and Technology (DGIST) in Korea, led by Prof Su-II In, explore a new technique to boost the performance of betavoltaic cells. To achieve this, they took a page from a technique previously used in photovoltaic <u>cells</u>: sensitizing dyes. In the proposed betavoltaic cell, the electrons in ruthenium-based dye used are "sensitive" to the beta radiation emitted by the radioactive source material. This means that electrons in the dye are more easily excited into higher energy states, making it easier for them to then jump from the dye to the material on the other pole of the battery, thus completing a circuit.

The performance of their cell was experimentally verified and turned out



to be quite promising, as Prof In remarks, "So far, our dye-sensitized betavoltaic cell is the first to apply dye to achieve high radiation-tocurrent conversion efficiency." The prospect of small, durable, and efficient betavoltaic devices could open up a lot of design space for small set-and-forget <u>electronic devices</u>. Excited about the results, Prof In concludes, "We explore a new horizon in the field of betavoltaic devices, and we predict that even higher efficiencies will be possible through further modifications, creating new opportunities in the field of nuclear batteries."

**More information:** Yunju Hwang et al. C-14 powered dye-sensitized betavoltaic cells, *Chemical Communications* (2020). <u>DOI:</u> <u>10.1039/d0cc02046j</u>

## Provided by Daegu Gyeongbuk Institute of Science and Technology (DGIST)

Citation: A novel betavoltaic technology with dyes for better energy production (2020, September 4) retrieved 10 May 2024 from <u>https://phys.org/news/2020-09-betavoltaic-technology-dyes-energy-production.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.