

## Rocky icebergs and deep anchors – new research on how planetary forces shape the Earth's surface

September 29 2020, by Simon Lamb



Credit: Daniel Torobekov from Pexels

Have you ever wondered why the Earth's surface is separated into two distinct worlds—the oceans and large tracts of land?

Why aren't land and water more mixed up, forming a landscape of



lakes? And why is most of the land relatively low and close to sea level, making <u>coastal regions</u> vulnerable to rising seas?

Our new <u>research</u> uncovers the <u>fundamental forces</u> that control the Earth's surface. These findings will help scientists calculate how land levels will respond to the melting of ice sheets and rises in sea level, as a consequence of global warming, as well as providing insights into changes in land area throughout our planet's history.

## **Rocky icebergs**

The research draws on the work by an inspiring early geologist. In 1855, the British Astronomer Royal <u>George Biddell Airy</u> published what is arguably one of the <u>most important scientific papers</u> in the <u>earth sciences</u>, setting out the basic understanding of what controls the elevation of the planet's surface.

Airy was aware the shape of the Earth is very similar to a spinning fluid ball, distorted by the forces of rotation so that it bulges slightly at the equator and flattens at the poles. He concluded the interior of the Earth must be fluid-like.





Credit: AI-generated image (disclaimer)

His <u>measurements of the force of gravity</u> in mine shafts showed the deep interior of the Earth must be much denser than the shallow parts.

Airy then made an extraordinary leap of scientific thinking. He proposed that the outer part of the Earth, which he called the <u>crust</u>, must be floating on underlying "fluid".

An analogy might be an iceberg floating in water—to rise above the surface, the iceberg must have deep icy roots.

Applying the same principle to the Earth, Airy proposed the Earth's crust also had iceberg-like roots, and the higher the surface elevation, the deeper these roots must be, creating thicker crust.



Airy's idea provided a fundamental explanation for continents and oceans. They were regions of thick and thin crust respectively. High mountain ranges, such as the Himalaya or Andes, were underlain by even thicker crust.



Credit: AI-generated image (disclaimer)

## **Tectonic plates**

In the 1960s, the new theory of <u>plate tectonics</u> introduced a complication. It added the concept of tectonic plates, which are colder and denser than the deeper mantle (the geological <u>layer beneath the crust</u>).

Over the past two decades, geophysicists have finally put together an



accurate picture of the crust in the continents.

We found a surprising result—there seems to be little relation between the average elevations of the continents and the thickness of the underlying crust, except that the crust is much thicker than beneath the oceans. Most of the <u>land area</u> is within a few hundred metres of sea level, yet the thickness of the crust varies by more than 20km.

So why don't we see the differences in crustal thickness below a continent reflected in its shape above? Our <u>research</u> shows the underlying thick tectonic <u>plate</u> is acting as an anchor, keeping the elevations relatively low even though the buoyant crust wants to rise higher.





The continents define large continuous areas of land separated by oceans. The Earth's crust is much thicker beneath the continents compared to the oceans. Credit: Simon Lamb, Author provided

We used measurements of the thickness of the <u>tectonic plates</u>, recently <u>determined from the speed of seismic waves</u>. The base of the continental plates reaches up to 250km deep, but most is between 100km and 200km deep.

We also worked out the densities of the different layers from variations



in the strength of gravity. It was clear that the dense roots of the plates were capable of pulling down the surface of the Earth in exactly the way needed to explain the actual elevations.

## A balance of planetary forces

Europe and Asia have very similar average elevations of around 175m above sea level. In Asia, both the crust and tectonic plate are thicker than underneath the European continent, but the weight of the extra thickness balances the tendency for the thicker crust to rise up.

But why is there so much land close to sea level? The answer is erosion. Over geological time, major rivers wear away the landscape, carrying rock fragments to the sea. In this way, rivers will always reduce the continents to an elevation close to <u>sea level</u>.



Airy imagined the crust as a rocky iceberg with buoyant roots holding up the surface. Plate tectonics adds a dense root of the plate that acts as an anchor. Credit: Simon Lamb, Author provided





The average elevations of the continents are surprisingly insensitive to their average crustal thicknesses, contrary to Airy's prediction that they float on the



underlying mantle like rocky 'icebergs'. If the effect of the deep 'anchor' of the underlying dense root to the plates is removed, the continents bob up, floating as the iceberg principle would predict, with a straight-line relation between crustal thickness and elevation. Credit: Simon Lamb, Author provided



Credit: AI-generated image (disclaimer)

East Antarctica is the exception that proves the rule. It has been close to the South Pole for hundreds of millions of years, with a climate too cold for large rivers to significantly erode the landscape.

The <u>crust</u> has been "protected" from the forces of erosion and is on average about 5km thicker than all the other southern continents, but it has a similar plate thickness.



The weight of the vast <u>East Antarctic ice sheet</u> is pushing down the underlying bedrock. But if all the ice melted, the surface of East Antarctica would bounce back over the following 10,000 years or so to form the highest <u>continent</u> of all.

This, of course, is no cause for comfort in our present climate predicament, with much of the world's population living in coastal areas.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: Rocky icebergs and deep anchors – new research on how planetary forces shape the Earth's surface (2020, September 29) retrieved 28 June 2024 from <u>https://phys.org/news/2020-09-rocky-icebergs-deep-anchors-planetary.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.