

Scientists identify gene family key to unlocking vertebrate evolution

September 16 2020, by Kelsey Simpkins



Three-month-old Ednrb mosaic F0 CRISPR-mutant sea lamprey larva. Credit: David Jandzik

New University of Colorado Boulder-led research finds that the traits



that make vertebrates distinct from invertebrates were made possible by the emergence of a new set of genes 500 million years ago, documenting an important episode in evolution where new genes played a significant role in the evolution of novel traits in vertebrates.

The findings, published today in *Nature*, show that a gene <u>family</u> only found in vertebrates is critical for forming the head skeleton and other traits unique to them during embryonic development.

"Every animal essentially has the same basic core set of Lego pieces to make them. What this paper shows is that vertebrates have a few special pieces in addition to that, and we identify those special pieces," said Daniel Medeiros, senior author of the paper and associate professor of ecology and <u>evolutionary biology</u>.

These special pieces in vertebrates are known as the Endothelin signaling pathway, a set of <u>genes</u> that influence how cells talk to each other. The researchers found this gene family is responsible for allowing <u>neural</u> <u>crest cells</u>—cells that develop into unique <u>vertebrate</u> traits like skeletal parts, pigment cells and our peripheral nervous system—to proliferate and specialize into different roles throughout the body.

Evolutionary theories have given weight to the role of genome duplication in the evolution of new traits, and for good reason. When a genome duplicates, new copies of existing genes can take on new roles in an organism. But since previous ideas were based mostly on observation, Medeiros wanted to test if gene duplication could have allowed vertebrates to become so special, or if the appearance of brand <u>new</u> <u>genes</u> could have played a role.

Medeiros and his colleagues tested the hypothesis that new gene families could also give rise to new traits by genetically modifying the larvae of sea lamprey, a type of jawless fish, through identifying and removing



this specific gene family. If their prediction was correct, removing it would revert a sea lamprey during its larval development into a more invertebrate-like worm, a close evolutionary ancestor.

"And we found that by knocking out this new gene family, you can almost erase most of the key vertebrate traits that make vertebrates special," said Medeiros.

While gene duplication is still an important part of the evolutionary process—as this new gene family is also duplicated in vertebrates—they found that duplication was not as critical in giving rise to the special neural crest cell types that vertebrates evolved as was the emergence of this new gene family.

This finding is significant in part because it's rare to find clear roles for genes that are unique to vertebrates, said lead author Tyler Square, who recently completed his Ph.D. in the Medeiros lab and is now at the University of California Berkeley.

"We thought that <u>gene duplication</u> was the most important thing. But here, we found both of those things [new genes and duplications] happening at once," said Square.

Reverse engineering the first fish

Fish were the first vertebrates, from which all others evolved—including humans. But there is a gap in the fossil record right when the first fish were evolving, because they had little, soft skeletons which were not preserved in the fossil record.

So how can scientists work out where the first fish came from, and therefore how all vertebrates came to be?



"Rather than looking at fossils, we use tools like molecular biology and genetics to try to understand how evolution has happened, kind of like genetic paleontology," said Medeiros. "In the deepest molecular genetic terms, we're trying to reverse engineer how a creature evolves. It's the closest you can get to Jurassic Park."

The creature they chose to reverse engineer, however, might seem a bit monstrous.

"While most people think of a big ugly hurricane of teeth sticking on to fish and chewing on them, sea lamprey are surprisingly cute when they're little baby larvae," said Square.

The sea lamprey, a jawless fish, diverged in evolution from other <u>fish</u> 500 million years ago. Because they hold onto several older vertebrate features, this gives the researchers the best snapshot of the early stage of vertebrate evolution with a living organism today.

"A lamprey and a human are extremely different. But by doing these kinds of studies, we can know what makes them the same," said Square. "This is stuff that's really fundamental, not just to mammals and humans, but to every vertebrate that exists."

Square and his colleagues used the gene-editing tool CRISPR during its early days to find out how important this new <u>gene family</u> is to making vertebrates, well, vertebrates.

"It was the wild west of CRISPR days," said Square. "But we couldn't have done this whatsoever if it weren't for CRISPR."

Not only did this technology allow the researchers to test hypotheses functionally, by knocking out genes, but they were also the first team to use CRISPR in sea lampreys. Previously, this technology had only been



used in some vertebrates like mice, frogs and zebrafish.

"And that's a really narrow view of life on the planet," said Medeiros. "What CRISPR has done is democratized genetic studies across diverse organisms. It's super powerful for answering evolutionary questions."

More information: T.A., Jandzik, D., Massey, J.L. et al. Evolution of the endothelin pathway drove neural crest cell diversification. *Nature* (2020). <u>doi.org/10.1038/s41586-020-2720-z</u>

Provided by University of Colorado at Boulder

Citation: Scientists identify gene family key to unlocking vertebrate evolution (2020, September 16) retrieved 1 May 2024 from <u>https://phys.org/news/2020-09-scientists-gene-family-key-vertebrate.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.