

Hydrogen sulfide helps maintain the drive to breathe

October 23 2020



Credit: University of Tsukuba

Effective regulation of breathing pattern is essential for many different mammalian processes such as energy production, metabolic regulation and even speech. Researchers have recently discovered that the body's production of hydrogen sulfide is important to generate a normal breathing pattern, potentially leading to new treatments for people suffering from breathing disorders such as central sleep apnea.



This result may seem surprising at first given that exposure to high levels of <u>hydrogen sulfide</u> can be toxic to mammalian health. However, hydrogen sulfide is produced in small quantities in the body by an enzyme called cystathionine β -synthase (CBS) and is believed to act as a bioactive gas to regulate different body functions. CBS is located in both the brain and in peripheral systems including arteries, veins and kidneys.

In a study published this month in *Communications Biology*, researchers from the University of Tsukuba further investigated the role of hydrogen sulfide as a bioactive gas in the body. First they looked at the effect of inhibiting the activity of the CBS enzyme in rats, thereby inhibiting the production of hydrogen sulfide. They found that this resulted in a change in the breathing patterns of the rats from a normal pattern to a gasping pattern. From this, the researchers concluded that the production of hydrogen sulfide allows the regions of the brain that are responsible for controlling breathing patterns to function normally.

Breathing normally requires cells located throughout the body to sense internal levels of oxygen and <u>carbon dioxide</u> and communicate this information to specific brain regions that control breathing rate and pattern. To determine how the different areas of the body are affected by hydrogen sulfide, researchers used different compounds to selectively block the production of hydrogen sulfide in the brain or in peripheral cells.

"Hydrogen sulfide produced by CBS enables neurons located in the <u>brain</u> regions that regulate breathing to communicate," explains Professor Tadachika Koganezawa, the senior researcher on the study. "Without hydrogen sulfide, the centers of the brain responsible for controlling breathing were not able to maintain the neural network to generate normal breathing pattern." The researchers found that these effects were specific to the brain, as inhibition of hydrogen sulfide in peripheral cells had no effect.



By unraveling the effect of hydrogen sulfide in the brain centers that control breathing, researchers can now begin to explore the potential role of <u>hydrogen sulfide</u> in disorders that affect <u>breathing</u> such as central sleep apnea or hyperventilation.

More information: Minako Okazaki et al. Endogenous hydrogen sulfide maintains eupnea in an in situ arterially perfused preparation of rats, *Communications Biology* (2020). DOI: 10.1038/s42003-020-01312-6

Provided by University of Tsukuba

Citation: Hydrogen sulfide helps maintain the drive to breathe (2020, October 23) retrieved 24 May 2024 from <u>https://phys.org/news/2020-10-hydrogen-sulfide.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.