

Ice Age manatees may have called Texas home

October 1 2020



Manatees lived in Texas during the last ice age, according to fossil evidence found along Texas beaches. Credit: Robert Bonde / U.S. Geological Survey.

Manatees don't live year-round in Texas, but these gentle, slow-moving sea cows are known to occasionally visit, swimming in for a "summer vacation" from Florida and Mexico and returning to warmer waters for the winter.

Research led by The University of Texas at Austin has found [fossil evidence](#) for manatees along the Texas coast dating back to the most recent ice age. The discovery raises questions about whether manatees have been making the visit for thousands of years, or if an ancient population of ice age manatees once called Texas home somewhere between 11,000 and 240,000 years ago.

The findings were published in *Palaeontologia Electronica*.

"This was an unexpected thing for me because I don't think about manatees being on the Texas coast today," said lead author Christopher Bell, a professor at the UT Jackson School of Geosciences. "But they're here. They're just not well known."

The paper co-authors are Sam Houston State University Natural History Collections curator William Godwin, SHSU alumna Kelsey Jenkins (now a [graduate student](#) at Yale University), and SHSU Professor Patrick Lewis.

The eight fossils described in the paper include manatee jawbones and rib fragments from the Pleistocene, the geological epoch of the last ice age. Most of the bones were collected from McFaddin Beach near Port Arthur and Caplen Beach near Galveston during the past 50 years by amateur fossil collectors who donated their finds to the SHSU collections.



A manatee lower jaw fossil. Its S-shaped curve is a distinctive manatee trait. Scale bar is 2 centimeters. Credit: Bell et al.

"We have them from one decade to another, so we know it's not from some old manatee that washed up, and we have them from different places," Godwin said. "All these lines of evidence support that manatee bones were coming up in a constant way."

The Jackson Museum of Earth History at UT holds two of the specimens.

A lower jawbone fossil, which was donated to the SHSU collections by

amateur collector Joe Liggio, jumpstarted the research.

"I decided my collection would be better served in a museum," Liggio said. "The manatee jaw was one of many unidentified bones in my collection."

Manatee jawbones have a distinct S-shaped curve that immediately caught Godwin's eye. But Godwin said he was met with skepticism when he sought other manatee fossils for comparison. He recalls reaching out to a fossil seller who told him point-blank "there are no Pleistocene manatees in Texas."

But examination of the fossils by Bell and Lewis proved otherwise. The bones belonged to the same species of manatee that visits the Texas coast today, *Trichechus manatus*. An upper jawbone donated by U.S. Rep. Brian Babin was found to belong to an extinct form of the manatee, *Trichechus manatus bakerorum*.



A manatee rib fossil fragment. Scale bar is 2 centimeters. Credit: Bell et al.

The age of the [manatee](#) fossils is based on their association with better-known ice age fossils and paleo-indian artifacts that have been found on the same beaches.

It's assumed that the cooler ice age climate would have made Texas waters even less hospitable to manatees than they are today. But the fact that manatees were in Texas—whether as visitors or residents—raises questions about the ancient environment and ancient manatees, Bell said. Either the coastal climate was warmer than is generally thought, or ice age manatees were more resilient to cooler temperatures than manatees of today.

The Texas coast stretched much farther into the Gulf of Mexico and hosted wider river outlets during the ice age than it does now, said Jackson School Professor David Mohrig, who was not part of the research team.

"Subsurface imaging of the now flooded modern continental shelf reveals both a greater number of coastal embayments and the presence of significantly wider channels during ice age times," said Mohrig, an expert on how sedimentary landscapes evolve.

If there was a population of ice age manatees in Texas, it's plausible that they would have rode out winters in these warmer river outlets, like how they do today in Florida and Mexico.

More information: Christopher Bell et al, First fossil manatees in Texas: *Trichechus manatus bakerorum* in the Pleistocene fauna from beach deposits along the Texas Coast of the Gulf of Mexico,

Palaeontologia Electronica (2020). [DOI: 10.26879/1006](https://doi.org/10.26879/1006)

Provided by University of Texas at Austin

Citation: Ice Age manatees may have called Texas home (2020, October 1) retrieved 27 April 2024 from <https://phys.org/news/2020-10-ice-age-manatees-texas-home.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.