

Lipid-based boundary-lubricated hydrogels found to be slipperier than those based on water


October 16 2020, by Bob Yirka



The micro-reservoirs of lipid vesicles in the bulk of the hydrogel, as seen by scanning electronmicroscopy when the gel is fractured at low temperatures to expose an inner surface. Credit: Lin et al., Science (2020)


A team of researchers at the Weizmann Institute of Science in Israel has developed a lipid-based boundary-lubricated hydrogel that is slipperier than water-based hydrogels. In their paper published in the journal *Science*, the group describes their inspiration for the new kind of hydrogel and how well it performed when tested. Tannin Schmidt with the University of Connecticut Health Center's School of Dental Medicine has published a Perspective piece in the same journal issue outlining the work by the team on this new effort and suggesting possible uses for it.

Hydrogels are used in a wide variety of applications, including biomedical (including dental), engineering and application-specific sensors (such as an anoscope, used for anal exams). One of their main draws is their slipperiness, which reduces friction between parts—friction reduction reduces wear and tear. And as Schmidt notes, most hydrogels are made slippery by fluids that are trapped in a base material. In this new effort, the researchers started with the knowledge that the lubricant produced by animals to prevent friction between joints (residing in cartilage) is lipid-based. It allows most people to live for multiple decades without joint degradation. Inspired by nature's design, the researchers sought to replicate such lubricants and also to replicate the mechanism that keeps the slipperiness in place. In animals, the lubricant must be constantly replaced as it loses its effectiveness.



An expanded version of two of the many micro-reservoirs seen, showing the roughly-spherical liposomes whose membrane is a lipid bilayer. Credit: Lin et al., *Science* (2020)

The mechanism designed by the team in Israel involved incorporating small amounts of phosphatidylcholine lipids into a water-based hydrogel, where the lipids migrate without assistance to the outer [surface](#) of the hydrogel—making only the surface more slippery. The lipids continue to migrate to the outer surface as those on the surface are worn out or lost, thus providing a long-lasting [lubricant](#).



Shows one striking effect of the very efficient lubrication: hydrogel disks are compressed by a steel sphere under a 5 kg load, which is then rubbed back-and-forth on them. When lipids are added to the gel to lubricate it, as in the picture on the left, then even after an hour's back-and-forth sliding there is hardly any change to the gel because the friction is so low. Credit: Lin et al., Science (2020)

When the researchers tested their lipid-based hydrogel against water-based hydrogels, they found it to be much slipperier by 100 percent. That resulted in less wear on [biomedical applications](#) that required reduced [friction](#). They also found that their hydrogel would maintain its special features even after being dried and rehydrated. Schmidt suggests that the new [hydrogel](#) could be used in a wide variety of medical and biological applications.

More information: Cartilage-inspired, lipid-based boundary-lubricated hydrogels, *Science* (2020). [DOI: 10.1126/science.aay8276](https://doi.org/10.1126/science.aay8276)

© 2020 Science X Network

Citation: Lipid-based boundary-lubricated hydrogels found to be slipperier than those based on water (2020, October 16) retrieved 2 May 2024 from <https://phys.org/news/2020-10-lipid-based-boundary-lubricated-hydrogels-slipperier-based.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.