


A new method for creating semisolid colloidal systems with less stress

October 8 2020



Credit: University of Tokyo

Researchers in the Institute of Industrial Science at The University of Tokyo studied a new method for creating semisolid colloidal systems with less internal mechanical stress by delaying network formation. This

work may help scientists better understand biological processes involving cytoplasm.

Within soft matter physics, gels are a relatively familiar sight. Certain particle suspensions can be turned into a semisolid when particles join to form a stiff [network](#). Think of Jell-O, in which a soupy mix of gelatin proteins sets into a delicious, free-standing dessert. Gels play important roles in biology, and may be involved in how cells move and respond to changing external conditions.

Scientists at The University of Tokyo studied the mechanism by which dispersed particles, called colloids, join together during gelation. Most gel networks are thought to form before dynamical motion stops, which leads to built-in [mechanical stress](#). If the creation of the networks could be delayed, they could be made free from such stress and more stable.

"A net under mechanical tension is stretched and sometimes broken. Conventional colloidal gels suffer from such stress, and thus, are not so stable. Stress-free gels are free from this problem," first author Hideyo Tsurusawa explains.

The team found that [network formation](#) (percolation) occurs after the formation of a mechanically stable structure and the cessation of particle motion for a lower concentration of colloidal particles compared with the one at which traditional gels form. The researchers used [confocal microscopy](#) and [computer simulations](#) to better understand both conventional and [stress](#)-free gelation. Systems with fluorescently-labeled poly(methyl methacrylate) colloids could be monitored to see how long it took for networks to form and for particle motion to be arrested.

The choice between these two types of gelation is determined by the large and small relationship between the two characteristic times, i.e., 'time until the mechanically stable structure is formed' and 'time to

percolation.' Furthermore, when the interaction between the particles is short-range, the large and small relationship is determined solely by the volume fraction of the colloid.

"We found that colloidal gelation can universally be grouped into the two types. This universal classification of the gelation of particle systems is expected to make a significant contribution to the understanding of [gelation](#) in the field of soft matter and biology," senior author Hajime Tanaka says. "Our findings could be applied to developing new industrial processes that create semisolid products, including foodstuffs, more efficiently."

More information: Hideyo Tsurusawa et al, A unique route of colloidal phase separation yields stress-free gels, *Science Advances* (2020). [DOI: 10.1126/sciadv.abb8107](https://doi.org/10.1126/sciadv.abb8107)

Provided by University of Tokyo

Citation: A new method for creating semisolid colloidal systems with less stress (2020, October 8) retrieved 7 May 2024 from <https://phys.org/news/2020-10-method-semisolid-colloidal-stress.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--