


NASA InSight's 'Mole' is out of sight

October 19 2020, by Andrew Good



NASA's InSight retracted its robotic arm on Oct. 3, 2020, revealing where the spike-like "mole" is trying to burrow into Mars. The copper-colored ribbon attached to the mole has sensors to measure the planet's heat flow. In the coming months, the arm will scrape and tamp down soil on top of the mole to help it dig. Credit: NASA/JPL-Caltech

NASA's InSight lander continues working to get its "mole"—a 16-inch-long (40-centimeter-long) pile driver and heat probe—deep below the surface of Mars. A camera on InSight's arm recently took images of the now partially filled-in "mole hole," showing only the device's science

tether protruding from the ground.

Sensors embedded in the tether are designed to measure heat flowing from the planet once the mole has dug at least 10 feet (3 meters) deep. The mission team has been working to help the mole burrow to at least that depth so that it can take Mars' temperature.

The mole was designed so that [loose soil](#) would flow around it, providing friction against its outer hull so that it can dig deeper; without this friction, the mole just bounces in place as it hammers into the ground. But the [soil](#) where InSight landed is different than what previous missions have encountered: During hammering, the soil sticks together, forming a small pit around the device instead of collapsing around it and providing the necessary friction.

After the mole unexpectedly backed out of the pit while hammering last year, the team placed the small scoop at the end of the lander's [robotic arm](#) on top of it to keep it in the ground. Now that the mole is fully embedded in the soil, they will use the scoop to scrape additional soil on top of it, tamping down this soil to help provide more friction. Because it will take months to pack down enough soil, the mole isn't expected to resume hammering until early 2021.



This footage from Aug. 19, 2019, shows a replica of InSight scraping soil with a scoop on the end of its robotic arm in a test lab at JPL. A replica of the "mole" - the lander's self-hammering heat probe - comes in to view as the scoop moves to the left. On Mars, InSight will scrape and tamp down soil on top of the mole to help it dig. Credit: NASA/JPL-Caltech

"I'm very glad we were able to recover from the unexpected 'pop-out' event we experienced and get the mole deeper than it's ever been," said Troy Hudson, the scientist and engineer at NASA's Jet Propulsion Laboratory who led the work to get the mole digging. "But we're not quite done. We want to make sure there's enough soil on top of the mole to enable it to dig on its own without any assistance from the arm."

The [mole](#) is formally called the Heat Flow and Physical Properties Package, or HP3, and was built and provided to NASA by the German Space Agency (DLR). JPL in Southern California leads the InSight

mission.

JPL manages InSight for NASA's Science Mission Directorate. InSight is part of NASA's Discovery Program, managed by the agency's Marshall Space Flight Center in Huntsville, Alabama. Lockheed Martin Space in Denver built the InSight spacecraft, including its cruise stage and lander, and supports spacecraft operations for the mission.

Provided by Jet Propulsion Laboratory

Citation: NASA InSight's 'Mole' is out of sight (2020, October 19) retrieved 28 April 2024 from <https://phys.org/news/2020-10-nasa-insight-mole-sight.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--