


# Reliable quality-control of graphene and other 2-D materials is routinely possible, researchers say

October 28 2020



New experiments confirm that the Bell-Shaped-Component (BSC) is a reliable diagnostic of the quality of graphene growth. Credit: U.S. Department of Energy, Ames Laboratory

Graphene and other single-atom-thick substances are a category of

wonder materials, with researchers the world over investigating their electronic properties for potential applications in technologies as diverse as solar cells, novel semiconductors, sensors, and energy storage.

The greatest challenge for the design of these single-layer or 2-D materials into all their myriad potential uses is the need for an atom-by-atom perfection and uniformity that can be difficult and painstaking to achieve at such small scales, and difficult to assess as well.

"We are trying to be more clever than nature in assembling these materials," said Michael C. Tringides, a senior scientist at the U.S. Department of Energy's Ames Laboratory and professor of physics at Iowa State University, who investigates the unique properties of 2-D materials and metals grown on [graphene](#), graphite, and other carbon coated surfaces. "And to do so, we're forcing atoms to assemble in ways they normally would not. One of the major challenges of the field is to reliably produce high quality graphene and other materials like it."

Tringides and other scientists at Ames Laboratory have discovered and confirmed a method which could serve as an easy but reliable way to test the quality of graphene and other 2-D materials. It takes advantage of the very broad background in surface electron diffraction, named the Bell-Shaped-Component (BSC) which strongly correlates to uniformly patterned, or "perfect" graphene.

Understanding the correlation has implications for reliable quality control of 2-D materials in a manufacturing environment.

"This discovery challenges conventional wisdom, but the correlation between this strange phenomenon and high quality graphene is unmistakable. In practical application, we see it extending to other high-interest 2-D materials that are similar to graphene in having similar uniformity of a single layer," said Tringides.

Last year, Ames Laboratory researchers discovered through low energy electron diffraction— a technique commonly used in physics to study the crystal structure of the surfaces of solid materials— that broad diffraction patterns are an indicator that reliably demonstrates a 2-D material's high quality. It was a feature of high quality graphene that essentially lurked in the background, and had been overlooked in published research because it was the exact opposite of what is generally accepted from diffraction studies—that only sharp, bright diffraction spots should be present. Because that finding was counterintuitive, further investigation was required under different experimental conditions and to understand the origin of the BSC, said Tringides.

First, the scientists grew graphene by annealing, or heating it, through a range of high temperatures, and comparing the growth of the BSC diffraction along with the growth of the other, generally accepted indicator of sharp diffraction spots. The evolution of the broad diffraction background closely mirrored that of the sharper spot, which proved that they are correlated. Secondly, the group then experimented with depositing metal atoms (in this case dysprosium) on the surface and underneath the graphene. Called intercalation, this deposition process is one of the ways scientists can customize 2-D materials for specific functions. In the second experiment, scientists measured the growth of the BSC during intercalation— weak when the metal atoms are at first disordered, and then increasing as the metal atoms snap into place between the graphene and the substrate, creating a uniform layer. So while the BSC was not a textbook diffraction pattern, its cause is textbook quantum mechanics— as electrons are squeezed into a single layer, their wave vectors must spread, creating the broad [diffraction](#) pattern.

The research is further discussed in the paper "High Layer Uniformity of Two-Dimensional Materials Demonstrated Surprisingly from Broad Features in Surface Electron Diffraction," authored by S. Chen, M. Horn

von Hoegen, P. A. Thiel, A. Kaminski, B. Schrunk, T. Speliotis, E. H. Conrad, and M. C. Tringides; and published in the *Journal of Physical Chemistry Letters*.

**More information:** S. Chen et al, High Layer Uniformity of Two-Dimensional Materials Demonstrated Surprisingly from Broad Features in Surface Electron Diffraction, *The Journal of Physical Chemistry Letters* (2020). [DOI: 10.1021/acs.jpcllett.0c02113](https://doi.org/10.1021/acs.jpcllett.0c02113)

Provided by Ames Laboratory

Citation: Reliable quality-control of graphene and other 2-D materials is routinely possible, researchers say (2020, October 28) retrieved 15 May 2024 from <https://phys.org/news/2020-10-reliable-quality-control-graphene-d-materials.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--