

Soluble iron in skies over China's cities could create health risk, study finds

October 14 2020



Smog in Beijing. Credit: Lilydjwg - Wikimedia Commons

Industrial and vehicle pollution in the skies above East China's major cities is boosting the amount of atmospheric soluble iron particles—creating health risks for citizens, a new study reveals.

Research indicates that acidic gases emitted from <u>power generation</u>, industry and vehicle exhausts are helping to dissolve insoluble <u>iron</u>



particles in Beijing, Handan, Zhengzhou and Hangzhou.

The tiny soluble iron-containing particles created as a result of this can be inhaled by people—causing respiratory illness, as well as being transported by winter winds into the Pacific Ocean, affecting the oceanic ecosystem.

Researchers at the University of Birmingham worked with partners at Zhejiang University, Hangzhou; China University of Mining and Technology, Beijing; Hebei University of Engineering, Handan; and Zhongyuan University of Technology, Zhengzhou—publishing their findings in *Environmental Pollution*.

Study co-author Zongbo Shi, Professor of Atmospheric Biogeochemistry at the University of Birmingham, commented: "Our research shows that chemical processing is a key reason behind greater amounts of soluble iron in the atmosphere on haze days when atmospheric <u>pollution</u> from man-made sources is higher.

"Acidic 'man-made' pollution helps to dissolve iron out of larger 'mixed' pollution particles—this is concerning because large amounts of tiny ironcontaining particles can be inhaled and cause adverse health effects though the generation of oxygen free radicals."

Iron carried in airborne particles is an essential external source for phytoplankton growth in large parts of remote oceans and indirectly affects the seas' capture of planet-warming carbon dioxide, playing a significant positive role in the global carbon cycle and climate. There are natural sources of iron, such as desert dust and soil dust, and anthropogenic (man-made) generators such as fossil fuel combustion and steel industrial activities.

Researchers discovered that concentration of soluble iron particles was



higher over the northern cities of Beijing, Handan and Zhengzhou than the southern city of Hangzhou. The experts selected the four cities to represent typical urban environments, with their respective populations of 21.5 million, 9.5 million, 10.1 million and 9.8 million citizens.

Beijing mainly suffers from road traffic pollution with pollutants from surrounding industrial regions, while heavy industry in Handan uses large amounts of energy, resulting in copious emissions of air pollutants. Zhengzhou is a major road, rail and air transport hub suffering from serious vehicle exhaust pollution, as does Hangzhou which is also polluted with contaminants blown in from surrounding industrial regions.

"Large amounts of soluble iron may be the catalyst for creating secondary sulfate particles in East China's polluted atmosphere," added Professor Shi. "We need further research to understand how this situation changes the creation of atmospheric oxygen free radicals which can pose significant <u>health risks</u>."

More information: Yanhong Zhu et al. Iron solubility in fine particles associated with secondary acidic aerosols in east China, *Environmental Pollution* (2020). DOI: 10.1016/j.envpol.2020.114769

Provided by University of Birmingham

Citation: Soluble iron in skies over China's cities could create health risk, study finds (2020, October 14) retrieved 28 June 2024 from <u>https://phys.org/news/2020-10-soluble-iron-china-cities-health.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.