


Tailoring 2-D materials to improve electronic and optical devices

October 27 2020, by Sarah Small



Credit: CC0 Public Domain

New possibilities for future developments in electronic and optical devices have been unlocked by recent advancements in two-dimensional (2-D) materials, according to Penn State researchers.

The researchers, led by Shengxi Huang, assistant professor of electrical engineering and [biomedical engineering](#) at Penn State, recently published the results of two separate but related discoveries regarding their success with altering the thin 2-D [materials](#) for applications in many optical and electronic devices. By altering the material in two different ways—atomically and physically—the researchers were able to enhance light emission and increase [signal strength](#), expanding the bounds of what is possible with devices that rely on these materials.

In the first method, the researchers modified the atomic makeup of the materials. In commonly used 2-D materials, researchers rely on the interaction between the thin layers, known as van der Waals interlayer coupling, to create charge transfer that is then used in devices. However, this interlayer coupling is limited because the charges are traditionally distributed evenly on the two sides of each layer.

In order to strengthen the coupling, the researchers created a new type of 2-D material known as Janus transition metal dichalcogenides by replacing atoms on one side of the layer with a different type of atoms, creating uneven distribution of the charge.

"This [atomic change] means the charge can be distributed unevenly," Huang said. "That creates an [electric field](#) within the plane, and can attract different molecules because of that, which can enhance light emission."

Also, if van der Waals interlayer coupling can be tuned to the right level by twisting layers with a certain angle, it can induce superconductivity, carrying implications for advancements in electronic and optical devices.

In the second method of altering 2-D materials to improve their capabilities, the researchers strengthened the signal that resulted from an energy up-conversion process by taking a layer of MoS₂, a common 2-D

material that is usually flat and thin, and rolling it into a roughly cylindrical shape.

The energy [conversion process](#) that takes place with the MoS₂ material is part of a nonlinear optical effect where, if a light is shined into an object, the frequency is doubled, which is where the energy conversion comes in.

"We always want to double the frequency in this process," Huang said. "But the signal is usually very weak, so enhancing the signal is very important."

By rolling the material, the researchers achieved a more than 95 times signal improvement.

Now, Huang plans to put these two advances together.

"The next step for our research is answering how we can combine atomic engineering and shape engineering to create better optical devices," she said.

A paper on the research of the atomic structure, "Enhancement of van der Waals Interlayer Coupling through Polar Janus MoSSe," was recently published in the *Journal of the American Chemical Society* (ACS). The paper on the research of rolling the materials, "Chirality-Dependent Second Harmonic Generation of MoS₂ Nanoscroll with Enhanced Efficiency," was published recently in *ACS Nano*.

More information: Kunyan Zhang et al. Enhancement of van der Waals Interlayer Coupling through Polar Janus MoSSe, *Journal of the American Chemical Society* (2020). [DOI: 10.1021/jacs.0c07051](https://doi.org/10.1021/jacs.0c07051)

Qingkai Qian et al. Chirality-Dependent Second Harmonic Generation

of MoS₂ Nanoscroll with Enhanced Efficiency, *ACS Nano* (2020). DOI: [10.1021/acsnano.0c05189](https://doi.org/10.1021/acsnano.0c05189)

Provided by Pennsylvania State University

Citation: Tailoring 2-D materials to improve electronic and optical devices (2020, October 27)
retrieved 24 April 2024 from
<https://phys.org/news/2020-10-tailoring-d-materials-electronic-optical.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.