

Carbon nanocomposites are now one step closer to practical industrial

November 23 2020



Carbon-nanocomposite after finishing the molding process. The sample will be tested for piezoresistive response after minor finishing touches. These materials can be shaped into almost any size and form. Credit: The image was taken in the Laboratory of Micro and Nano Mechanics, CDMM at Skoltech.

A research team from the Center for Design, Manufacturing and




Materials at Skoltech has recently published a study focusing on multifunctional materials created through the addition of carbon nanoparticles to polymer matrices, designed to allow self-diagnostic monitoring through an inexpensive technique.

The study, authored by Ph.D. student Hassaan Ahmad Butt from the research group of Professor Sergey Abaimov, has recently been published in *Composite Structures* and is part of a multiphase project designed to create self-sensing <u>materials</u> which can be incorporated and produced using existing industrial manufacturing routes.

With property demands from polymer composites increasing year by year worldwide, carbon nanoparticles have received a large amount of attention when it comes to their addition to such material systems. Studies have shown that they can increase required <u>mechanical</u> properties with relatively small addition amounts, all the while allowing the final material to be electrically conductive and piezoresistive in nature. However, carbon nanoparticle incorporation into <u>large scale</u> production is problematic, requiring intensive facility upgrades.

"This is why we decided to use masterbatches and industrially available, inexpensive manufacturing techniques. Masterbatches can be stored, transported and incorporated into large scale production routes without the necessity of expensive overhauls. Almost every facility dealing with thermoset polymers has a simple mixer," said Hassaan.





CNT-nanocomposites being tested for piezoresistive response in an Intron 5969 Universal Testing Systems under tensile load. The values of resistance change as increasing tensile load is applied which allow the material to send a self-report as to its condition. The silver lines are conductive contacts and the white speckles are used by the LIMESS digital image correlation (DIC) system to calculate strain values. Credit: The image was taken in the Laboratory of Mechanical Testing, CDMM at Skoltech.

The study examines how the addition of carbon nanoparticles can change the electric conductivity of polymer matrices and how this itself can



change during mechanical loading, be monitored, and thus related to the deformation the material is experiencing. In turn, this cuts out the need for complex monitoring techniques, with a simple multimeter being able to determine the answer.

Essentially, the use of such materials has the potential to replace sensors in weight critical systems such as aircraft structures, with the material itself being able to provide measurements. The same materials and production route can be used to manufacture electrically conductive materials for applications such as electric circuit printing, electromagnetic shielding and specialized temperature and humidity sensors. The material concept is not limited to this specific manufacturing route, with possible applicability lying with pultrusion and vacuum infusion as well.

"The current materials have applications ranging from the aerospace sphere to specialized sensors. The materials are unique in the fact that they can be scaled up into structures or scaled down to attach as separate miniature sensors," said Hassaan.

More information: Hassaan A. Butt et al, Self-diagnostic carbon nanocomposites manufactured from industrial epoxy masterbatches, *Composite Structures* (2020). DOI: 10.1016/j.compstruct.2020.113244

Provided by Skolkovo Institute of Science and Technology

Citation: Carbon nanocomposites are now one step closer to practical industrial (2020, November 23) retrieved 15 May 2024 from https://phys.org/news/2020-11-carbon-nanocomposites-closer-industrial.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.