


DNA molecules yield biochemical random number

November 20 2020, by Fabio Bergamin



DNA synthesis can be used to generate true random numbers. Credit: Isabelle Benz

ETH scientists have generated a huge true random number using DNA synthesis. It is the first time that a number of this magnitude has been created by biochemical means.

True random numbers are required in fields as diverse as slot machines and data encryption. These numbers need to be truly random, such that

they cannot even be predicted by people with detailed knowledge of the method used to generate them.

As a rule, they are generated using physical methods. For instance, thanks to the tiniest high-frequency electron movements, the electrical resistance of a wire is not constant but instead fluctuates slightly in an unpredictable way. That means measurements of this background noise can be used to generate true random numbers.

Now, for the first time, a research team led by Robert Grass, Professor at the Institute of Chemical and Bioengineering, has described a non-physical method of generating such numbers: one that uses biochemical signals and actually works in practice. In the past, the ideas put forward by other scientists for generating random numbers by chemical means tended to be largely theoretical.

DNA synthesis with random building blocks

For this new approach, the ETH researchers apply the [synthesis](#) of DNA molecules, an established chemical research method frequently employed over many years. It is traditionally used to produce a precisely defined DNA sequence. In this case, however, the research team built DNA molecules with 64 building block positions, in which one of the four DNA bases A, C, G and T was randomly located at each position. The scientists achieved this by using a mixture of the four building blocks, rather than just one, at every step of the synthesis.

As a result, a relatively simple synthesis produced a combination of approximately three quadrillion individual molecules. The scientists subsequently used an effective method to determine the DNA sequence of five million of these molecules. This resulted in 12 megabytes of data, which the researchers stored as zeros and ones on a computer.

Huge quantities of randomness in a small space

However, an analysis showed that the distribution of the four building blocks A, C, G and T was not completely even. Either the intricacies of nature or the synthesis method deployed led to the bases G and T being integrated more frequently in the [molecules](#) than A and C. Nonetheless, the scientists were able to correct this bias with a simple algorithm, thereby generating perfect random numbers.

The main aim of ETH Professor Grass and his team was to show that random occurrences in chemical reaction can be exploited to generate perfect [random numbers](#). Translating the finding into a direct application was not a prime concern at first. "Compared with other methods, however, ours has the advantage of being able to generate huge quantities of randomness that can be stored in an extremely small space, a single test tube," Grass says. "We can read out the information and reinterpret it in digital form at a later date. This is impossible with the previous methods."

More information: Linda C. Meiser et al. DNA synthesis for true random number generation, *Nature Communications* (2020). [DOI: 10.1038/s41467-020-19757-y](#)

Provided by ETH Zurich

Citation: DNA molecules yield biochemical random number (2020, November 20) retrieved 2 May 2024 from <https://phys.org/news/2020-11-dna-molecules-yield-biochemical-random.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.