

# Research on environmental history: 330-year-old poplar tree tells of its life

November 18 2020

---





Using trees as a model, researchers of the TUM and of the University of Georgia, USA, have shown for the first time that epimutations accumulate continuously throughout plant development and that this information can be used as a molecular clock to estimate the age of a tree. Credit: Robert Schmitz

Similar to genetic mutations, epigenetic changes, i.e. gene modifications that do not occur on the primary DNA sequence, sometimes arise accidentally in plants and can be transmitted across generations. Using trees as a model, researchers have now shown for the first time that these so-called epimutations accumulate continuously throughout plant development, and that they can be employed as a molecular clock to estimate the age of a tree.

Epigenetic marks do not change the DNA sequence but can affect the activity of genes. "Although in animals, including humans, these marks are believed to be completely reset in gametes, in plants, they can be stably inherited for many generations," says Frank Johannes, Professor of Population Epigenetics and Epigenomics at the Technical University of Munich (TUM), whose research team has been trying to understand how epimutations arise in plant genomes, how stable they are across generations, and whether they can affect important plant characteristics.

## **Trees are natural epimutation accumulation systems**

"Given their extraordinary longevity, trees act as natural epimutation accumulation systems, and therefore offer unique insights into epigenetic processes over long time-scales," says Professor Johannes. Together with co-senior author Professor Robert J. Schmitz (University of Georgia, USA), who is also a Hans Fisher Fellow at the TUM-IAS, he recently published two companion papers on this topic.

In their studies, the team focused on a 330 year-old poplar tree. By comparing DNA methylation (an important epigenetic mark) of leaves from different branches of the tree, they were able to show that epimutations accumulate continuously as a function of the tree's age. The researchers found that the further apart two leaves are from each other, in terms of developmental time, the more dissimilar their DNA methylation patterns are. From this, the researchers were able to conclude that the rate of somatic epimutations is about 10,000 times higher than the genetic mutation rate in this same tree.



Researchers want to correlate data of the environmental history of trees with their epigenetic work to offer a window into the past which can help to understand how trees have dealt with specific environmental challenges such as

droughts and temperature fluctuations. Credit: Michele Serra/TUM

## **An epigenetic aging clock in trees?**

This discovery led to the intriguing insight that epimutations can serve as a kind of molecular clock to determine the age of a tree. "Only some branches had been dated by counting tree rings, but unfortunately not the main stem. We really needed this information for our analysis, so we decided to treat the total age of the tree as an unknown parameter and let the DNA methylation data of the leaves tell us how old the tree is. This gave an estimate of about 330 years," says Professor Johannes.

The estimate later turned out to be consistent with diameter-based dating of the main stem and with other information on the life history of this particular tree. "This was the first indication that there is something like an epigenetic clock in trees."

## **A window into the past**

The team around Prof. Johannes is now pursuing the question whether [environmental changes](#) that trees experience over their long life-times leave epigenetic signatures that can be read and interpreted to learn something about their past.

"Our goal is to integrate historical environmental data with our epigenetic work. We think this may offer a window into the past which can help us to understand how [trees](#) have dealt with specific environmental challenges such as droughts and temperature fluctuations. This type of information may be useful when considering the future, particularly in light of global climate change."

**More information:** Brigitte T. Hofmeister et al, A genome assembly and the somatic genetic and epigenetic mutation rate in a wild long-lived perennial *Populus trichocarpa*, *Genome Biology* (2020). [DOI: 10.1186/s13059-020-02162-5](https://doi.org/10.1186/s13059-020-02162-5)

Yadollah Shahryary et al. AlphaBeta: computational inference of epimutation rates and spectra from high-throughput DNA methylation data in plants, *Genome Biology* (2020). [DOI: 10.1186/s13059-020-02161-6](https://doi.org/10.1186/s13059-020-02161-6)

Provided by Technical University Munich

Citation: Research on environmental history: 330-year-old poplar tree tells of its life (2020, November 18) retrieved 26 April 2024 from <https://phys.org/news/2020-11-environmental-history-year-old-poplar-tree.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.