


# Family tree of the Milky Way deciphered

November 13 2020, by Morgan Hollis



Galaxy merger tree of the Milky Way inferred by applying the insights gained from the E-MOSAICS simulations to the Galactic globular cluster population. The main progenitor of the Milky Way is denoted by the trunk of the tree, coloured by its stellar mass. Black lines indicate the five identified satellites. Grey dotted lines illustrate other mergers that the Milky Way is predicted to have experienced, but could not be linked to a specific progenitor. From left to right, the six images along the top of the figure indicate the identified progenitor galaxies: Sagittarius, Sequoia, Kraken, the Milky Way's Main progenitor, the progenitor of the Helmi streams, and Gaia-Enceladus-Sausage. Credit: D. Kruijssen / Heidelberg University/Licence type: [Attribution \(CC BY 4.0\)](https://creativecommons.org/licenses/by/4.0/)

Scientists have known for some time that galaxies can grow by the merging of smaller galaxies, but the ancestry of our own Milky Way galaxy has been a long-standing mystery. Now, an international team of astrophysicists has succeeded in reconstructing the first complete family tree of our home galaxy by analyzing the properties of globular clusters orbiting the Milky Way with artificial intelligence. The work is published in *Monthly Notices of the Royal Astronomical Society*.

Globular clusters are dense groups of up to a million stars that are almost as old as the Universe itself. The Milky Way hosts over 150 such clusters, many of which formed in the smaller galaxies that merged to form the galaxy that we live in today. Astronomers have suspected for decades that the old ages of [globular clusters](#) would mean that they could be used as "fossils" to reconstruct the early assembly histories of galaxies. However it is only with the latest models and observations that it has become possible to realize this promise.

An international team of researchers led by Dr. Diederik Kruijssen at the Center for Astronomy at the University of Heidelberg (ZAH) and Dr. Joel Pfeffer at Liverpool John Moores University has now managed to infer the Milky Way's merger history and reconstruct its family tree, using only its globular clusters.

To achieve this, they developed a suite of advanced computer simulations of the formation of Milky Way-like galaxies. Their simulations, called E-MOSAICS, are unique because they include a complete model for the formation, evolution, and destruction of globular clusters.

In the simulations, the researchers were able to relate the ages, chemical compositions, and orbital motions of globular clusters to the properties of the [progenitor](#) galaxies in which they formed, more than 10 billion years ago. By applying these insights to groups of globular clusters in the

Milky Way, they could not only determine how many stars these progenitor galaxies contained, but also when they merged into the Milky Way.

"The main challenge of connecting the properties of globular clusters to the merger history of their host galaxy has always been that galaxy assembly is an extremely messy process, during which the orbits of the globular clusters are completely reshuffled," Kruijssen explains.

"To make sense of the complex system that is left today, we therefore decided to use [artificial intelligence](#). We trained an artificial neural network on the E-MOSAICS simulations to relate the globular [cluster](#) properties to the host galaxy merger history. We tested the algorithm tens of thousands of times on the simulations and were amazed at how accurately it was able to reconstruct the merger histories of the simulated galaxies, using only their globular cluster populations."

Inspired by this success, the researchers set out to decipher the merger history of the Milky Way. To achieve this, they used groups of globular clusters that are each thought to have formed in the same progenitor galaxy based on their orbital motion. By applying the neural network to these groups of globular clusters, the researchers could not only predict the stellar masses and merger times of the progenitor galaxies to high precision, but it also revealed a previously unknown collision between the Milky Way and an enigmatic galaxy, which the researchers named "Kraken."

"The collision with Kraken must have been the most significant merger the Milky Way ever experienced," Kruijssen adds. "Before, it was thought that a collision with the Gaia-Enceladus-Sausage galaxy, which took place some 9 billion years ago, was the biggest collision event. However, the merger with Kraken took place 11 billion years ago, when the Milky Way was four times less massive. As a result, the collision

with Kraken must have truly transformed what the Milky Way looked like at the time."

Taken together, these findings allowed the team of researchers to reconstruct the first complete [merger](#) tree of our Galaxy. Over the course of its history, the Milky Way cannibalized about five galaxies with more than 100 million stars, and about fifteen with at least 10 million stars. The most massive progenitor galaxies collided with the Milky Way between 6 and 11 billion years ago.

The researchers expect their predictions to stimulate future studies to search for the remains of these progenitor galaxies. "The debris of more than five progenitor [galaxies](#) has now been identified. With current and upcoming telescopes, it should be possible to find them all," Kruijssen concludes.

**More information:** J M Diederik Kruijssen et al. Kraken reveals itself – the merger history of the Milky Way reconstructed with the E-MOSAICS simulations, *Monthly Notices of the Royal Astronomical Society* (2020). [DOI: 10.1093/mnras/staa2452](https://doi.org/10.1093/mnras/staa2452)

Provided by Royal Astronomical Society

Citation: Family tree of the Milky Way deciphered (2020, November 13) retrieved 16 June 2024 from <https://phys.org/news/2020-11-family-tree-milky-deciphered.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.