


Has the hidden matter of the universe been discovered?

November 6 2020



Credit: Pixabay/CC0 Public Domain

Astrophysicists consider that around 40% of the ordinary matter that makes up stars, planets and galaxies remains undetected, concealed in the form of a hot gas in the complex cosmic web. Today, scientists at the Institut d'Astrophysique Spatiale (CNRS/Université Paris-Saclay) may have detected, for the first time, this hidden matter through an innovative statistical analysis of 20-year-old data. Their findings are



published on November 6, 2020 in Astronomy & Astrophysics.

Galaxies are distributed throughout the universe in the form of a complex network of nodes connected by filaments, which are in turn separated by voids. This is known as the <u>cosmic web</u>. The filaments are thought to contain almost all of the ordinary (so-called baryonic) matter of the universe in the form of a diffuse, hot gas. However, the signal emitted by this diffuse gas is so weak that in reality 40 to 50% of the baryons go undetected.

These are the missing baryons, hidden in the filamentary structure of the cosmic web, that Nabila Aghanim, a researcher at the Institut d'Astrophysique Spatiale (CNRS/Université Paris-Saclay) and Hideki Tanimura, a post-doctoral researcher, together with their colleagues, are attempting to detect. In a new study, funded by the ERC ByoPiC project, they present a <u>statistical analysis</u> that reveals, for the first time, the X-ray emission from the hot baryons in filaments.

This detection is based on the stacked X-ray signal, in the ROSAT2 survey data, from approximately 15,000 large-scale cosmic filaments identified in the SDSS3 galaxy survey. The team made use of the spatial correlation between the position of the filaments and the associated X-ray emission to provide evidence of the presence of hot gas in the cosmic web and for the first time, measure its temperature.

These findings confirm earlier analyses by the same research team, based on indirect detection of hot gas in the cosmic web through its effect on the cosmic microwave background. This paves the way for more <u>detailed studies</u>, using better quality data, to test the evolution of gas in the filamentary structure of the cosmic web.

More information: H. T Tanimura et al. First detection of stacked X-ray emission from cosmic web filaments, *Astronomy & Astrophysics*



(2020). DOI: 10.1051/0004-6361/202038521

Provided by CNRS

Citation: Has the hidden matter of the universe been discovered? (2020, November 6) retrieved 24 April 2024 from <u>https://phys.org/news/2020-11-hidden-universe.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.