

## A mechanism for designing high-entropy alloys with improved magnetic properties

November 20 2020



Credit: Delft University of Technology

Magnetic materials are everywhere—in engines, wind turbines, electronic devices and refrigerators—so materials with better magnetic properties are highly desirable. TU Delft researchers Biswanath Dutta and Fritz Körmann of the department of Materials Science and Engineering have revealed a mechanism for improving the magnetic properties of a relatively new class of multicomponent alloys known as



HEAs. Their work is published this week in *Advanced Functional Materials*.

High-entropy alloys (HEAs) were first proposed about 15 years ago and since then, have aroused a lot of interest within the materials science community because of their excellent physical, mechanical and functional properties e.g. greater strength, promising <u>magnetic properties</u>, and better resistance to rusting and corrosion. "The focus of this project was to find new mechanisms with which we could improve the magnetic properties of an HEA," says Dutta. "And to do this, you have to play with the chemistry so change the composition of the alloy."

Unlike traditional alloys, which usually consist of one major component with a small amount of another added element e.g. steel, which is an alloy of iron mixed with 1% carbon, HEAs consist of five or more elements in more-or-less equal proportions. In this study, the team played around with the composition of a FeCoNiMnCu HEA, which contains iron, cobalt, nickel, manganese and copper. "Our colleagues at the Max-Planck-Institut für Eisenforschung in Germany heated this material at a particular fixed temperature for different lengths of time," says Dutta. "And they noticed two things: one was that heating the HEA for 240 hours improved its magnetic properties. And two, that within the material, the different elements became segregated into different regions within the alloy."

Using this information, Dutta ran theoretical simulations and was ultimately able to explain why, after prolonged heating, you get improved magnetic properties: "Copper doesn't like to make a solid homogenous mixture with the other elements and so the more you heat the sample, the more the copper tries to separate out from the other four elements, leading to different regions with different compositions—for example, an iron-cobalt rich region and a copper rich <u>region</u>." These different regions have unequal volumes causing what is known as



coherency stress between a bigger volume and a smaller one. "And if one of these regions is particularly important for the magnetic properties, a volume expansion can improve those magnetic properties."

So in fact there are two mechanisms at work here: one is the formation of two regions with different chemical compositions—a phenomenon known technically as spinodal decomposition—and the other factor is the resulting difference in volume and therefore coherency stress between the different regions.

With a better understanding of these mechanisms, researchers can begin to investigate other magnetic HEAs and multicomponent <u>alloys</u> to determine whether this same behavior occurs causing an improvement in their magnetic properties. "This concept of trying to improve magnetic properties through spinodal decomposition is very new," says Dutta, "And these new mechanisms will help us to find new magnetic material for potential use in, for example, refrigeration systems based less on gasses and more on solid-state <u>magnetic materials</u> which will be much more environmentally friendly."

**More information:** Ziyuan Rao et al. Beyond Solid Solution High-Entropy Alloys: Tailoring Magnetic Properties via Spinodal Decomposition, *Advanced Functional Materials* (2020). DOI: 10.1002/adfm.202007668

## Provided by Delft University of Technology

Citation: A mechanism for designing high-entropy alloys with improved magnetic properties (2020, November 20) retrieved 26 April 2024 from <u>https://phys.org/news/2020-11-mechanism-high-entropy-alloys-magnetic-properties.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.