

Mechanism of heat stress response and heat-accelerated leaf senescence in tall fescue

November 2 2020, by Zhang Nannan



Credit: Pixabay/CC0 Public Domain

Tall fescue (*Festuca arundinacea*) is one of the most important and widely used cool-season turfgrass and forage species in the world. The optimum temperature for tall fescue growth ranges from 15 to 25

degrees C. High temperatures will affect its growth and development; one of the major symptoms of heat damage is premature leaf senescence.

The Molecular Breeding of Turfgrass and Forage Grass Group led by Prof. Chen Liang from the Wuhan Botanical Garden reported the molecular mechanism of heat adaptation and heat-induced senescence at transcriptional and post-transcriptional levels in tall fescue.

Researchers compared the transcriptome files of heat-treated (one hour and 72 hours) and senescent leaves of tall fescue by combining single-molecular real-time and Illumina sequencing.

Results showed that short-term heat stress (HS) may improve thermotolerance by strongly activating [heat shock proteins](#) (Hsps) and heat shock factors (Hsfs), as well as specifically activating FK506-binding proteins (FKBPs), calcium signaling genes, glutathione S-transferase genes, photosynthesis-related genes, and phytohormone signaling genes.

But in comparison, long-term HS may lead to leaf senescence via activating chlorophyll catabolic genes, phytohormone synthesis/degradation genes, stress-related genes, and NACs, and repressing photosynthesis-related genes, FKBPs, and catalases.

Subsequently, the roles of three candidate genes, including FaHsfA2a, FaNAC029, and FaNAM-B1 in heat stress response were investigated via transient overexpression in tobacco. Besides, they discovered that [alternative splicing](#) occurred widely in HS and senescence responsive genes.

This research helps elucidate the underlying mechanism of HSR and heat-accelerated leaf senescence in tall fescue, and can provide

important clues for in-depth characterization of heat-resistance breeding candidate [genes](#) in tall fescue.

Results have been published on *BMC Plant Biology* entitled "SMRT and Illumina RNA sequencing reveal novel insights into the [heat](#) stress response and crosstalk with leaf senescence in [tall fescue](#)."

More information: Yiguang Qian et al. SMRT and Illumina RNA sequencing reveal novel insights into the heat stress response and crosstalk with leaf senescence in tall fescue, *BMC Plant Biology* (2020). [DOI: 10.1186/s12870-020-02572-4](https://doi.org/10.1186/s12870-020-02572-4)

Provided by Chinese Academy of Sciences

Citation: Mechanism of heat stress response and heat-accelerated leaf senescence in tall fescue (2020, November 2) retrieved 2 May 2024 from <https://phys.org/news/2020-11-mechanism-stress-response-heat-accelerated-leaf.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.