

## **Modelling micro-swimmers for drug delivery**

November 11 2020



Streamlines of the fluid flow induced by a single point force (Stokeslet) representing a microswimmer inside a freely moving viscous drop. Credit: SciencePOD

Mathematical models of the motion of cells in viscous liquids that show how this motion is affected by the presence of a surfactant coating have applications in the design of artificial micro-swimmers for targeted drug delivery, micro-surgery and other applications.



Many types of motile cells, such as the bacteria in our guts and spermatozoa in the female reproductive tracts, need to propel themselves through confined spaces filled with <u>viscous liquid</u>. In recent years, the motion of these micro-swimmers has been mimicked in the design of self-propelled micro- and nano-scale machines for applications including targeted drug delivery. Optimizing the design of these machines requires a detailed, mathematical understanding of micro-swimmers in these environments.

A large, international group of physicists led by Abdallah Daddi-Moussa-Ider of Heinrich-Heine-Universität Düsseldorf, Germany has now generated mathematical models of micro-swimmers in clean and <u>surfactant</u>-covered viscous drops, showing that the surfactant significantly alters the swimmers' behavior. They have published their work in *EPJ E*.

The dynamics of micro-swimmers moving inside a drop of viscous liquid depends on many things, including the shape and size of the drop, the <u>number</u> of micro-swimmers and the Reynolds number of the liquid. This is a measure of viscosity; liquids with low Reynolds number are more viscous and flow in a linear manner with little turbulence. The flow of such a liquid can be modeled by solving a set of partial differential equations known as the Navier-Stokes equations. In this case, the micro-swimmer itself was considered as a force dipole confined within the drop and located at a set point. The presence of a layer of surfactant surrounding the <u>drop</u> containing the micro-swimmer was modeled using <u>boundary conditions</u>.

Solving these equations in a range of conditions—drops with or without surfactant coats, stationary and freely moving, and with different Reynolds numbers and radii—gave Daddi-Moussa-Ider and his coworkers a set of subtly different flow fields, from which the dynamics of the micro-swimmer could be defined. They note that these models of



swimmer dynamics may prove useful in designing micro-machines for materials assembly, biosensing and micro-surgery as well as drug delivery.

**More information:** Alexander R. Sprenger et al. Towards an analytical description of active microswimmers in clean and in surfactant-covered drops, *The European Physical Journal E* (2020). DOI: 10.1140/epje/i2020-11980-9

Provided by SciencePOD

Citation: Modelling micro-swimmers for drug delivery (2020, November 11) retrieved 2 May 2024 from <u>https://phys.org/news/2020-11-micro-swimmers-drug-delivery.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.