

Physicists develop efficient modem for a future quantum internet

November 5 2020, by Katharina Jarrah



The Garching quantum modem: The crystal disk with the quantum bits of erbium atoms (arrows) is in the middle, the back and forth reflected infrared light is indicated by the red disks. Credit: Christoph Hohmann (MCQST)

The first quantum revolution brought about semiconductor electronics,



the laser and finally the internet. The coming, second quantum revolution promises spy-proof communication, extremely precise quantum sensors and quantum computers for previously unsolvable computing tasks. But this revolution is still in its infancy. A central research object is the interface between local quantum devices and light quanta that enable the remote transmission of highly sensitive quantum information. The Otto-Hahn group "Quantum Networks" at the Max-Planck-Institute of Quantum Optics in Garching is researching such a "quantum modem". The team has now achieved a first breakthrough in a relatively simple but highly efficient technology that can be integrated into existing fiber optic networks. The work is published this week in *Physical Review X*.

The Corona pandemic is a daily reminder of how important the internet has become. The World Wide Web, once a by-product of basic physical research, has radically changed our culture. Could a quantum internet become the next major innovation out of physics?

It is still too early to answer that question, but basic research is already working on the quantum internet. Many applications will be more specialized and less sensual than video conferencing, but the importance of absolutely spy-proof long-distance communication is understandable to everyone. "In the future, a quantum internet could be used to connect quantum computers located in different places," Andreas Reiserer says, "which would considerably increase their computing power!" The physicist heads the independent Otto-Hahn research group "Quantum Networks" at the Max-Planck-Institute of Quantum Optics in Garching.

A quantum internet is thus essentially about the global networking of new technologies that make a much more consequent use of quantum physics than ever before. However, this requires suitable interfaces for the extremely sensitive quantum information. This is an enormous technical challenge, which is why such interfaces are a central focus of



fundamental research. They must ensure that stationary quantum bits—qubits for short—interact efficiently with "flying" qubits for longdistance communication without destroying the quantum information. Stationary qubits will be located in local devices, for example as the memory or processor of a quantum computer. Flying qubits are typically light quanta, photons, that transport the quantum information through the air, a vacuum of space or through fiber optic networks.

Delicate connection between quantum bits

The "quantum modem" is designed to efficiently establish a connection between flying and stationary qubits. For this purpose, the team around doctoral student Benjamin Merkel has developed a new technology and has just demonstrated its basic functionality. Its crucial advantage is that it could be integrated into the existing telecommunications fiber-optic network. This would be the fastest way to advance a functioning longdistance networking of quantum technologies.

For this system to work, the photons sent or received by the modem as quantum information carriers must be matched precisely to the infrared wavelength of the laser light used for telecommunications. This means that the modem must have qubits at rest that can react precisely to these infrared photons with a quantum leap. Only in this way the sensitive quantum information can be transmitted directly between the qubits at rest and the flying qubits.

Extensive research by the Garching-based group showed that the element erbium is best suited for this purpose. Its Electrons can perform a perfectly matching quantum leap. Unfortunately, the erbium atoms are very reluctant to make this quantum leap. Therefore, they must be fixated in anenvironment that forces them to react more quickly. To solve this problem, the erbium atoms and the infrared photons are locked up in a suitable space for as long as possible. "You can think of it as a



party, which should stimulate the best possible communication between, let's say, ten guests," Reiserer explains. The size of the space is crucial here. "In a football stadium the guests would get lost, a telephone box in turn would be too small," the physicist continues, "but a living room would do just fine."

The party, however, would quickly be over because the photons travel at the speed of light and are therefore highly volatile and always tempted to leave. This is why the Garching quantum modem uses a tiny mirror cabinet as a "living room" Thereto,the team packed the atoms into a transparent crystal made of an yttrium silicate compound, which is five times thinner than a human hair. This crystal, in turn, is placed like a sandwich spread between two almost perfect mirrors. To eliminate the heat wobbling of the atoms, which is destructive to quantum information, the entire ensemble is cooled to minus 271 °C.

Photon ping-pong in the mirror cabinet

The photons trapped between the mirrors are reflected back and forth through the crystal like ping-pong balls. They pass the erbium atoms so often so that the atoms have enough time to react with a quantum leap. Compared to a situation without a mirror cabinet, this happens much more efficiently and almost sixty times faster. Since the mirrors, despite their perfection, are also slightly permeable to the photons, the modem can connect to the network.

"We are very happy about this success," Reiserer says. As a next step, he wants to improve the experiment such that individual erbium atoms can be addressed as qubits via laser light. This is not only an important step towards a usable quantum modem. Erbium atoms as qubits in a crystal may even serve directly as a quantum processor, which is the central part of a quantum computer. This would make the modem easily compatible with such quantum terminals.



With such an elegant solution, comparatively simply constructed "quantum repeaters" would also become possible. Every hundred kilometers, the devices would have to compensate the increasing losses of quantum information transported by photons in the fiber-optic network. Such "quantum repeaters" are also the focus of international research. "Although such a device based on our technology would cost about a hundred thousand euros, widespread use would not be unrealistic," Reiserer says.

The Garching quantum modem is still purely fundamental research. But it has the potential to advance the technical realization of a quantum internet.

More information: Benjamin Merkel et al. Coherent and Purcell-Enhanced Emission from Erbium Dopants in a Cryogenic High- Q Resonator, *Physical Review X* (2020). DOI: <u>10.1103/PhysRevX.10.041025</u>

Provided by Max Planck Society

Citation: Physicists develop efficient modem for a future quantum internet (2020, November 5) retrieved 17 July 2024 from <u>https://phys.org/news/2020-11-physicists-efficient-modem-future-quantum.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.