


# Physicists suggest mechanism responsible for the neutron drip line is related to deformation

November 5 2020, by Bob Yirka



Schematic illustrations of shell structure and nuclear shape. Credit: *Nature* (2020). DOI: 10.1038/s41586-020-2848-x

A team of physicists affiliated with several institutions in Japan and one in Belgium has theorized that one of the mechanisms responsible for the neutron drip line is related to deformation. In their paper published in the journal *Nature*, the group describes their calculations regarding the contributions to binding energy for deformations in nuclei as part of an

effort to better understand how many neutrons an atom can hold.

One area of interest to physicists and chemists is how many neutrons can be held by one atom. The boundary expressed by such an arrangement is called the drip line. It comes about because [energy](#) is used to pull nuclei apart, thus there must always be a limit. In some instances, [atoms](#) have been tested (sometimes resulting in the creation of interesting isotopes), but many others have not, and thus, their boundaries are not known. In this new effort, the researchers sought a mechanism that governs driplines in general that might allow for mathematically calculating the answer for any given element under any given circumstance.

To explore this possibility, the researchers chose fluorine as their baseline. They used math to show that its dripline could be predicted by using a previously untried [mechanism](#). They found that as the number of neutrons grows, the nuclear shape of the nucleus becomes deformed into an ellipsoid, which leads to higher binding energy. They further found that the saturation point of the nucleus (the point where it could no longer be deformed) gave the neutron drip line. They noted that beyond such a saturation point, the isotope became unbound, allowing more neutrons to drip out.

The researchers note that their calculations were based on recently discovered nuclear-nucleon interactions that have been used in eigenvalue solving simulations. They further note that their results showed a reasonable amount of agreement with recent experiments conducted by other researchers. They suggest that their work could be used in further efforts by other groups seeking to better understand nucleosynthesis when [neutron](#)-rich [nuclei](#) are involved.

**More information:** Naofumi Tsunoda et al. The impact of nuclear shape on the emergence of the neutron dripline, *Nature* (2020). [DOI: 10.1038/s41586-020-2848-x](https://doi.org/10.1038/s41586-020-2848-x)

© 2020 Science X Network

Citation: Physicists suggest mechanism responsible for the neutron drip line is related to deformation (2020, November 5) retrieved 25 April 2024 from <https://phys.org/news/2020-11-physicists-mechanism-responsible-neutron-line.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.