

Scientists define binary tropical cyclones

November 5 2020



A binary tropical cyclone (BTC) case in the Northwest Pacific. Credit: China Meteorological Administration



In the Northwest Pacific, most tropical cyclones occur alone during their lifetime. However, sometimes two or several tropical cyclones exist simultaneously. Generally, two tropical cyclones occurring simultaneously are referred to as binary tropical cyclones (BTCs), and they concurrently perform a mutual counterclockwise spin and move closer to each other when at a relatively close range. This phenomenon was first noted by Fujihara in 1921.

There are three existing BTC definitions with different criteria based on the separation distance, TC intensity and the coexistence time, which seem to be <u>objective factors</u>. However, as there is no explanation or reason regarding the origins of these definitions, they are mainly subjective.

To address this problem, Prof. Fumin Ren and his research team, from the viewpoints of two important parameters of BTCs—namely, the two TCs moving closer to each other and performing a mutual counterclockwise spin—carried out a study that analyzed two best-track datasets, provided by the China Meteorological Administration (CMA) and the Joint Typhoon Warning Center (JTWC). They established an objective standard, which includes a main standard for defining BTCs and a secondary standard for identifying typical/atypical BTCs, based on the high level of consistency between the two datasets.

"The main standard has two requirements: two coexisting TCs are a pair of BTCs if the separation distance is less than 1800 km, and if this separation is maintained for at least 12 hours," says Ren, with Chinese Academy of Meteorological Sciences.

The above research has been accepted and published by *Advances in Atmospheric Sciences* (doi.org/10.1007/s00376-020-9287-3).

BTCs often bring extreme precipitation when they make landfall and



cause serious disasters. For example, the strong typhoon "Morak" in 2009 caused about 700 deaths or disappearances over the southern part of the island of Taiwan.

"We still do not have a clear picture of the characteristics of BTC interactions in China's offshore area, and this is what we are going to investigate next," concludes Ren.

More information: Fumin Ren et al, Establishment of an Objective Standard for the Definition of Binary Tropical Cyclones in the Western North Pacific, *Advances in Atmospheric Sciences* (2020). DOI: 10.1007/s00376-020-9287-3

Provided by Chinese Academy of Sciences

Citation: Scientists define binary tropical cyclones (2020, November 5) retrieved 23 July 2024 from <u>https://phys.org/news/2020-11-scientists-binary-tropical-cyclones.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.