


# Atomic-scale nanowires can now be produced at scale

December 24 2020



(a) Illustration of a TMC nanowire (b) Chemical vapor deposition. The ingredients are vaporized in a hydrogen/nitrogen atmosphere and allowed to deposit and self-assemble on a substrate. Reprinted with permission from Ref. 1  
 Credit: Copyright 2020 American Chemical Society (ACS)


Researchers from Tokyo Metropolitan University have discovered a way to make self-assembled nanowires of transition metal chalcogenides at scale using chemical vapor deposition. By changing the substrate where the wires form, they can tune how these wires are arranged, from aligned configurations of atomically thin sheets to random networks of bundles. This paves the way to industrial deployment in next-gen industrial electronics, including energy harvesting, and transparent, efficient, even flexible devices.

Electronics is all about making things smaller—smaller features on a chip, for example, means more computing power in the same amount of space and better efficiency, essential to feeding the increasingly heavy demands of a modern IT infrastructure powered by machine learning and artificial intelligence. And as devices get smaller, the same demands are made of the intricate wiring that ties everything together. The ultimate goal would be a wire that is only an atom or two in thickness. Such [nanowires](#) would begin to leverage completely different physics as the electrons that travel through them behave more and more as if they live in a one-dimensional world, not a 3-D one.

In fact, scientists already have materials like carbon nanotubes and transition metal chalcogenides (TMCs), mixtures of transition metals and group 16 elements which can self-assemble into atomic-scale nanowires. The trouble is making them long enough, and at scale. A way to mass produce nanowires would be a game changer.

Now, a team led by Dr. Hong En Lim and Associate Professor Yasumitsu Miyata from Tokyo Metropolitan University has come up with a way of making long wires of transition metal telluride nanowires at unprecedentedly large scales. Using a process called [chemical vapor deposition](#) (CVD), they found that they could assemble TMC nanowires in different arrangements depending on the surface or substrate that they use as a template. Examples are shown in Figure 2; in (a), nanowires

grown on a silicon/silica substrate form a random network of bundles; in (b), the wires assemble in a set direction on a sapphire substrate, following the structure of the underlying sapphire crystal. By simply changing where they are grown, the team now have access to centimeter-sized wafers covered in the arrangement they desired, including monolayers, bilayers and networks of bundles, all with different applications. They also found that the structure of the wires themselves were highly crystalline and ordered, and that their properties, including their excellent conductivity and 1D-like behavior, matched those found in theoretical predictions.




(a) Scanning electron microscopy picture of nanowires grown on a silicon/silica wafer. (b) Atomic force microscopy image of nanowires grown on a crystalline

sapphire substrate. (c) Scanning transmission electron microscopy image of aligned wires. (d) Scanning transmission electron microscopy image of a single TMC nanowire, seen from the end, with an illustration of the structure.

Reprinted with permission from Ref. 1 Credit: American Chemical Society (ACS)

Having large amounts of long, highly crystalline nanowires is sure to help physicists characterize and study these exotic structures in more depth. Importantly, it's an exciting step towards seeing real-world applications of atomically-thin wires, in transparent and flexible electronics, ultra-efficient devices and energy harvesting applications.



(left) (a) Illustration of different forms of TMC assembled on the substrates. Scanning transmission electron microscopy images of the cross-section of (b) a monolayer of nanowires, (c) a bilayer of nanowires, and (d) transmission electron microscopy image of 3D bundles. Reprinted with permission from Ref. 1 Credit: American Chemical Society (ACS)

**More information:** Hong En Lim et al, Wafer-Scale Growth of One-Dimensional Transition-Metal Telluride Nanowires, *Nano Letters* (2020). [DOI: 10.1021/acs.nanolett.0c03456](https://doi.org/10.1021/acs.nanolett.0c03456)

Provided by Tokyo Metropolitan University

Citation: Atomic-scale nanowires can now be produced at scale (2020, December 24) retrieved 10 May 2024 from <https://phys.org/news/2020-12-atomic-scale-nanowires-scale.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.