

Beavers may help amphibians threatened by climate change

December 8 2020



Credit: Pixabay/CC0 Public Domain

The recovery of beavers may have beneficial consequences for amphibians because beaver dams can create the unique habitats that amphibians need.

That finding was reported by four WSU Vancouver scientists in a paper published in the journal *Freshwater Biology*. The research took place in the Gifford Pinchot National Forest of the Cascade Range, where the researchers identified 49 study sites either with or without beaver dams. The researchers found the beaver-dammed sites were 2.7 times higher in [amphibian](#) species richness than the undammed sites.

Certain types of amphibians, particularly those that develop more slowly, such as red-legged frogs and northwestern salamanders, were detected almost exclusively in dammed sites.

"Beaver-dammed wetlands support more of the [amphibian species](#) that need a long [time](#) to develop in water as larvae before they are able to live on land as adults," said Jonah Piovia-Scott, assistant professor in the School of Biological Sciences and one of the authors of the article.

Beavers, once abundant in the Pacific Northwest, were hunted nearly to extinction in the 19th century. But, in an effort to improve [wildlife habitat](#) and mitigate the effects of climate extremes, some land managers are relocating beavers into places they occupied in the past, and beavers' numbers are slowly recovering, which is also benefiting amphibians, according to the study.

Red-legged frogs and northwestern salamanders are also the species most threatened by climate change, which is projected to bring drier summer conditions to streams and wetlands in the Cascade Range. By expanding existing ponds and increasing the time before they dry up, beaver dams are allowing such species more time to reproduce and develop.

"Beavers may be a key component of ecological resilience to [climate change](#) in these ecosystems," Piovia-Scott said.

In addition to Piovia-Scott, the authors of the study are Kevan Moffett,

assistant professor in the School of the Environment; John Romansic, former postdoctoral scholar in the School of Biological Sciences; and Nicolette Nelson, former graduate student in the School of Biological Sciences.

More information: John M. Romansic et al, Beaver dams are associated with enhanced amphibian diversity via lengthened hydroperiods and increased representation of slow-developing species, *Freshwater Biology* (2020). [DOI: 10.1111/fwb.13654](https://doi.org/10.1111/fwb.13654)

Provided by Washington State University

Citation: Beavers may help amphibians threatened by climate change (2020, December 8) retrieved 23 April 2024 from <https://phys.org/news/2020-12-beavers-amphibians-threatened-climate.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.