

Beluga whistles and clicks could be silenced by an increasingly noisy Arctic Ocean

December 18 2020, by William Halliday



Belugas swimming near Utqiagvik, Alaska, in July 2017. Credit: Lisa Barry/NOAA Fisheries

Under the sea ice, the Arctic Ocean is one of the quietest places on Earth. But it can be very noisy when the ice is forming and breaking up or during storms and when glaciers are calving.

Beluga whales, the so-called [canaries of the sea](#), call this environment their home. Belugas whistle to communicate and they make [high](#)

[frequency](#) clicking sounds for echolocation, which they use to navigate the dark marine environment and to find food.

Sound is an integral part of a beluga's life, so the quality of the underwater acoustic environment is very important for the health and survival of belugas. Yet [climate change](#) is transforming the Arctic marine environment, and it is likely becoming more noisy underwater.

The beluga soundscape

Every summer, between June and August, belugas in the Beaufort Sea move into the Mackenzie River estuary. This shallow water environment where belugas thrive has a complex underwater soundscape, or acoustic environment, made up of natural environmental sounds (wave crashing), biological sounds (belugas whistling and clicking) and human-caused sounds (ship noise).

[A recent study](#) led by our Arctic research team at [Wildlife Conservation Society Canada](#), in collaboration with partners at Fisheries and Oceans Canada and Natural Resources Canada, showed that the soundscape of the Mackenzie River estuary is dominated by the sounds of wind and waves crashing in lower frequencies. In the high frequencies, beluga sounds are the main source of sound.



The Tarium Nirjutait Marine Protected Area aims to conserve and protect beluga whales and other marine species, their habitat and ecosystems. Credit: DFO

Climate change is causing sea ice to melt earlier in the spring and to freeze later in the autumn, which leads to a longer open-water season. This is allowing greater access for human activities, including noisy activities such as shipping.

Since the soundscape is so important to belugas, acoustic monitoring is key to establishing baselines and monitoring changes in the soundscape.

Belugas communicate and echolocate within the soundscape, and they also listen to it to detect potential danger. Rising [noise levels](#) within the soundscape can inhibit belugas from using the soundscape.

The [Tarium Niryutait Marine Protected Area](#) (MPA) was designated in 2010 in the Mackenzie River estuary, in part to protect belugas and their habitat. Our study took place within this MPA, and serves as one of the tools for monitoring it. The acoustic data are used to determine when belugas are present within the MPA. We also assessed the main contributors to underwater sound levels, including underwater noise from ship traffic.

Belugas and ship noise

We found that belugas arrived in the estuary in late June, and would stay at least until mid-August, although peak beluga activity was in July. The beluga were mainly found in shallow waters that limit how far noise signals travel.

Underwater noise from boats and ships (coast guard ships, tugs and barges and small community boats) occurred sporadically in July and August, but converged around one particular site frequented by belugas. These sounds were in the same frequency range as the whistles made by belugas for communication, but did not overlap much with the frequency range for echolocation signals used for hunting and navigation.

[Our previous research](#) provided evidence that belugas in this area react to ship traffic, and tend to leave an area when a ship travels by. This reaction has an energetic cost—belugas expend more energy when fleeing—and also stops them from undertaking important activities like socializing and basking. That even relatively low amounts of underwater noise can lead to belugas vacating habitats that are important to them should be an important cause for concern.



Credit: Unsplash/CC0 Public Domain

The future soundscape

The future of this soundscape remains unclear, although increased underwater sound levels are likely: There are clear expectations that the open-water season will be longer with accelerating climate change, and the open-water period generally has higher underwater sound levels than the ice-covered season.

The longer open-water season this region is currently experiencing, coupled with decreased offshore sea ice, has already led to increased

storm events that are projected to increase in the future. Belugas are known to depart the estuary during storm events, which cause large increases in underwater sound levels.

Ship traffic is also projected to continue increasing as a result of the longer open-water period. Increases in ship traffic will exacerbate noise levels and affect beluga behavior and distribution. There is a chance that belugas could even be struck by ships. In addition, beluga prey may also react to ships, making foraging more difficult for belugas. For example, [a recent study](#) showed that Arctic cod, an important [beluga](#) prey, react to ship [noise](#) and change their movements when ships are nearby.

Climate change has also been causing the food web to change. This may lead to new predators in the system, such as killer whales, that could influence the habitat use and movements of belugas, [as has been shown with their close relatives, narwhal](#) in the eastern Arctic.

The rapid changes that this sensitive region is undergoing calls for close vigilance and careful monitoring. Collecting information can help the Inuvialuit Settlement Region co-management boards and other decision-makers manage ship traffic.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Beluga whistles and clicks could be silenced by an increasingly noisy Arctic Ocean (2020, December 18) retrieved 28 April 2024 from <https://phys.org/news/2020-12-beluga-clicks-silenced-increasingly-noisy.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.