


Device refines analysis of materials for fuel cells and batteries

December 21 2020, by José Tadeu Arantes



Schematic of novel cell: (1) threaded lip; (2) aperture for passing radiation beam; (3) window; (4, 5, 17) O-ring; (6, 16) counter-electrode; (7) cell body part 1; (8) chamber for electrolyte, counter-electrode and reference electrode; (9, 11, 13) electrolyte inlet-outlet; (10) work electrode inlet; (12) reference electrode inlet; (14) reference electrode; (15) counter-electrode inlet; (18) bolt; (19) cell body part 2; (20) work electrode (image: researcher's archive). Credit: FAPESP

A new device designed to help scientists study in detail what happens during electrochemical reactions has been developed by researchers at the Center for Innovation in New Energies (CINE) in collaboration with researchers at the Brazilian Synchrotron Light Laboratory (LNLS), a unit of the Brazilian Center for Research in Energy and Materials (CNPEM). CINE is an Engineering Research Center (ERC) established by FAPESP (São Paulo Research Foundation) and Shell and is hosted by the

University of Campinas (UNICAMP) in the state of São Paulo, Brazil.

The device, a spectroelectrochemical cell, improves the performance of fuel [cells](#), electrolyzers, batteries and other appliances used to convert chemical energy into electricity or vice-versa. A great deal of research on equipment of this kind has been done as part of the effort to develop renewable energy generating and storage solutions.

The new device is a cell that can be used to monitor electrochemical experiments involving a range of spectroscopic instruments that operate in specific frequency bands of the electromagnetic spectrum, such as infrared, visible light, and X-rays, and to analyze multilaterally the behavior of materials in [electrochemical reactions](#)—both molecules in electrolyte solution and electrodes.

An article on the research is published as a front cover feature by *ChemElectroChem*, alongside an interview with the last author, Pablo Sebastián Fernández, a researcher at CINE.

"The main difference and advantage of our device is that different kinds of analysis can be performed with a single cell, thanks to a window that can be swapped out in accordance with the analysis of interest," Fernández told Agência FAPESP. "It's possible to use windows transparent to infrared, windows transparent to visible light and windows transparent to X-rays, obtaining spectroscopic analysis in each of these frequency bands, among other things."

This means a [single cell](#) is capable of in situ infrared spectroscopy, Raman spectroscopy (which uses [visible light](#)), and X-ray absorption and diffraction, among other techniques.

Aside from the special window, the device contains all the normal components of an electrochemical cell, such as a work electrode,

counterelectrode, reference electrode, and electrolyte with salts and molecules of interest.

"The electromagnetic radiation beams that pass through the [window](#) interact with both the molecules of interest, which are in the electrolyte, and the catalyst whose efficiency is being studied," Fernández said.

Another advantage, he added, is that the electrolytic solution can be changed during the analysis and measured under flow conditions, thanks to the cell's architecture.

More information: José L. Bott-Neto et al, Front Cover: Versatile Spectroelectrochemical Cell for In Situ Experiments: Development, Applications, and Electrochemical Behavior (ChemElectroChem 21/2020), *ChemElectroChem* (2020). [DOI: 10.1002/celec.202001242](https://doi.org/10.1002/celec.202001242)

Provided by FAPESP

Citation: Device refines analysis of materials for fuel cells and batteries (2020, December 21) retrieved 28 April 2024 from <https://phys.org/news/2020-12-device-refines-analysis-materials-fuel.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--