

Seeking answers in ferroelectric patterning

December 21 2020



Thin-film ferroelectric materials display characteristic evolving patterns. Credit: FLEET

Why do some ferroelectric materials display bubble-shaped patterning, while others display complex, labyrinthine patterns?

A FLEET study finds the answer to the changing patterns in ferroelectric films lies in non-equilibrium dynamics, with topological defects driving



subsequent evolution.

Ferroelectric materials can be considered an electrical analogy to ferromagnetic materials, with their permanent electric polarization resembling the north and south poles of a magnet.

Understanding the physics behind their <u>domain</u>-pattern changes is crucial for designing advanced low-energy ferroelectric electronics, or brain-inspired neuromorphic computing.

Labyrinthine vs bubbles: what patterns reveal

The characteristic domain patterns of thin-film ferroelectric materials are strongly influenced by the type of materials, and by the film configuration (substrate, electrode, thickness, structure, etc).

"We wanted to understand what drives the emergence of one pattern rather than another," explains Dr. Qi (Peggy) Zhang (UNSW), who led experiments at UNSW.

"For example: what drives formation of mosaic-shaped domain patterning, instead of labyrinth-shaped patterning. And why would drive a subsequent change to bubble-shaped patterning."

The research team were seeking a common framework or roadmap driving such domain arrangements.





Credit: FLEET

"Is there a topological signature in these states? Is their topology evolutive? And if yes, how so? These are the types of answers we were seeking," says lead author Dr. Yousra Nahas (University of Arkansas).

"We found that self-patterning of ferroelectric polar domains can be understood by examining the non-equilibrium dynamics, and that a <u>common framework</u> is that of phase separation kinetics.

"We also performed topological characterization, and studied pattern evolution under an external, applied <u>electric field</u>, which revealed the crucial role of <u>topological defects</u> in mediating the pattern transformation."

"The results of this study build a roadmap (a phase diagram of polar domain patterns) for researchers to use when wanting to 'navigate' through the plurality of modulated phases in low-dimensional ferroelectrics, says co-lead author Dr. Sergei Prokhorenko (University of Arkansas).



This study is thus interesting in its own field (condensed matter physics, ferroelectrics) but might also be relevant for an interdisciplinary audience in regards to the universality of concepts and results.



Co-author Ph.D. student Vivasha Govinden in the material-science labs at UNSW. Credit: UNSW

The study

Researchers investigated domain features and domain evolutions of thinfilm $Pb(Zr_{0.4}Ti_{0.6})O_3$ (or "PZT') through extensive modeling and experimental study (piezoresponse force microscope).



The researchers found that:

- Electric-field control of skyrmion density elicits hysteretic conductance, which could be harnessed for solid-state neuromorphic computing
- Engineering topological order in ferroic systems can enhance functional topological-based properties.

"Topology and control of self-assembled domain patterns in lowdimensional ferroelectrics" was published in *Nature Communications* in November 2020.

More information: Y. Nahas et al. Topology and control of selfassembled domain patterns in low-dimensional ferroelectrics, *Nature Communications* (2020). DOI: 10.1038/s41467-020-19519-w

Provided by FLEET

Citation: Seeking answers in ferroelectric patterning (2020, December 21) retrieved 24 June 2024 from <u>https://phys.org/news/2020-12-ferroelectric-patterning.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.