

## Fire-resistant tropical forest on brink of disappearance

December 18 2020



A new study led by Swansea University reveals that only 10% of the forest that is left on two Indonesian islands remains fire-resistant. The researchers warn that protecting this is crucial for preventing catastrophic fire.Tropical deforestation exacerbates recurrent peatland fire events in this region. These release globally significant greenhouse gas emissions and produce toxic haze events across South East Asia. Credit: T. Smith



A new study led by researchers in the Geography Department at Swansea University reveals the extreme scale of loss and fragmentation of tropical forests, which once covered much of the Indonesian islands of Sumatra and Kalimantan.

The study also reveals that only 10% of the forest that is left remains fireresistant. The researchers warn that protecting this is crucial for preventing catastrophic fire.

Tropical deforestation exacerbates recurrent peatland fire events in this region. These release globally significant greenhouse gas emissions and produce toxic haze events across South East Asia.

An area of tropical forest and peatland larger than the Netherlands has burned in Indonesia in the past five years, according to Greenpeace.

Yet the study shows that contiguous tracts of undisturbed forests are not susceptible to burning even under current drought conditions.

Dr. Tadas Nikonovas of Swansea University, lead author of the research, explained:

"Undisturbed tropical rainforests are naturally resistant to fire due to the humid and cool micro-climate they maintain, effectively acting as a fire barrier. Contrary to the widely-held perception that worsening droughts are threatening the remaining rainforests, <u>tropical forests</u> in Indonesia become susceptible to fire only after human disturbance."

However, the study also reveals that currently only a small fraction  $(\sim 10\%)$  of the remaining total tropical forest cover remains fireresistant. The rest  $(\sim 90\%)$  has been severely fragmented or degraded and therefore is no longer able to maintain a fire-resistant microclimate.



Importantly, fire-resistant forests now cover only 3% of the region's peatlands, leaving large amounts of climate-critical carbon vulnerable to burning.

The authors emphasize that the preventative role tropical forests play against fire is yet another important reason for the preservation and regeneration of the few remaining contiguous tracts of forests.

Dr. Allan Spessa of Swansea University, the project leader, added:

"Protecting tropical forest is critical not only for biodiversity and carbon storage but also for preventing future catastrophic <u>fire</u> episodes. This is true for Indonesia, as well as for tropical <u>forest</u> in Africa and South America".

The research was published in a Nature group journal, *Communications Earth and Environment*.

**More information:** *Communications Earth and Environment*, <u>DOI:</u> <u>10.1038/s43247-020-00069-4</u>

Provided by Swansea University

Citation: Fire-resistant tropical forest on brink of disappearance (2020, December 18) retrieved 15 June 2024 from <u>https://phys.org/news/2020-12-fire-resistant-tropical-forest-brink.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.