

Marine pollution: How do plastic additives dilute in water and how risky are they?

December 15 2020



Plastic waste can contaminate water supply as it breaks down into microplastics and its additives leach out. These additives sometimes contain harmful chemicals which accumulate in the environment and in the food chain, leading to various ecological and public health risks Credit: Seung-Kyu Kim from Incheon National University

Plastic pollution has been at the center of environmental debate for decades. While it is well known that plastic in the environment can break down into microplastics, be ingested by humans and other organisms, transfer up the food chain and cause harm, this is only one part of the picture. Plastics are almost always enriched with additives, which makes them easier to process, more resistant, or more performant. This poses a second problem: When the polymer material is left in an environment for long durations, these additives can easily leach out and contaminate the environment.

This is the case with styrene oligomers (SOs), a type of [plastic additive](#) commonly found in polystyrene. SOs have prompted growing concern due to their effects on hormonal disruption and thyroid function. Authorities usually rely on scientists' risk assessments to evaluate such public hazards and determine the appropriate action to minimize their impact. But scientists struggle to accurately measure the proportion of leachable plastic additives (i.e., the bioavailable fraction), as it is difficult to discriminate between leached compounds and those still bound to the source plastic material. Adding to the problem is the fact that these additives can diffuse into the environment at different rates.

Now, in a new study, Prof. Seung-Kyu Kim from Incheon National University, Korea, and his team have come up with an assessment method that could change the game. Their findings are published in *Journal of Hazardous Materials*.

Prof. Kim and his team collected surface sediments from an artificial lake connected to the Yellow Sea, with several potential sources of SO pollution from the surrounding land area and from marine buoys. "We were hoping that the distribution of SO contaminants in the lake's sediments would help identify their most likely source and measure the leachable amount from the source material," Prof. Kim explains. The scientists also examined one of these potential sources by dissecting a

locally used polystyrene buoy, measuring the concentration of SOs in it and how much leached out of it.

A key finding from their investigation was that SO dimers (SDs) and trimers (STs) dilute in water at different rates, so their composition in coastal sediments is quite different from what can be observed in the buoys and other potential sources. This was especially true for STs, heavy, hydrophobic molecules that tended to remain in the source microplastics and moved at a slower rate in the lake. The lighter SD molecules leached out much more readily and traveled further. This meant that the SD to ST ratio would increase further away from the source of the contaminant.

Based on this dynamic, the researchers suggest using this ratio as a "reference index" to identify the source of SOs and to estimate the bioavailable fraction of SOs in a given sample. In Prof. Kim's words, this would "be critically important to the assessment of ecological and human risk caused by plastic additives," enabling more accurate risk assessments for potential exposure, and perhaps for formulating policies the ban more leachable and therefore more hazardous additives.

More information: Zhexi Tian et al, Environmental Distribution of Styrene Oligomers (SOs) Coupled with Their Source Characteristics: Tracing the Origin of SOs in the Environment, *Journal of Hazardous Materials* (2020). [DOI: 10.1016/j.jhazmat.2020.122968](https://doi.org/10.1016/j.jhazmat.2020.122968)

Provided by Incheon National University

Citation: Marine pollution: How do plastic additives dilute in water and how risky are they? (2020, December 15) retrieved 17 July 2024 from <https://phys.org/news/2020-12-marine-pollution-plastic-additives-dilute.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.