

Researchers find a better way to design metal alloys

December 11 2020, by David L. Chandler



Researchers have found a new way to predict the properties of metal alloys based on reactions at the boundaries between the crystalline grains of the primary metal. In this image, the colored dots indicate the likelihood that atoms will collect along these boundaries rather than penetrating through. Credit: Massachusetts Institute of Technology



Advanced metal alloys are essential in key parts of modern life, from cars to satellites, from construction materials to electronics. But creating new alloys for specific uses, with optimized strength, hardness, corrosion resistance, conductivity, and so on, has been limited by researchers' fuzzy understanding of what happens at the boundaries between the tiny crystalline grains that make up most metals.

When two metals are mixed together, the atoms of the secondary <u>metal</u> might collect along these <u>grain boundaries</u>, or they might spread out through the lattice of atoms within the <u>grains</u>. The material's overall properties are determined largely by the behavior of these atoms, but until now there has been no systematic way to predict what they will do.

Researchers at MIT have now found a way, using a combination of computer simulations and a machine-learning process, to produce the kinds of detailed predictions of these properties that could guide the development of new alloys for a wide variety of applications. The findings are described today in the journal *Nature Communications*, in a paper by graduate student Malik Wagih, postdoc Peter Larsen, and professor of materials science and engineering Christopher Schuh.

Schuh explains that understanding the atomic-level behavior of polycrystalline metals, which account for the vast majority of metals we use, is a daunting challenge. Whereas the atoms in a <u>single crystal</u> are arranged in an orderly pattern, so that the relationship between adjacent atoms is simple and predictable, that's not the case with the multiple tiny crystals in most metal objects. "You have crystals smashed together at what we call grain boundaries. And in a conventional structural material, there are millions and millions of such boundaries," he says.

These boundaries help to determine the material's properties. "You can think of them as the glue holding the crystals together," he says. "But they are disordered, the atoms are jumbled up. They don't match either



of the crystals they're joining." That means they offer billions of possible atomic arrangements, he says, compared to just a few in a crystal. Creating new alloys involves "trying to design those regions inside a metal, and it's literally billions of times more complicated than designing in a crystal."

Schuh draws an analogy to people in a neighborhood. "It's kind of like being in a suburb, where you may have 12 neighbors around you. In most metals, you look around, you see 12 people and they're all at the same distance away from you. It's totally homogenous. Whereas in a grain boundary, you still have something like 12 neighbors, but they're all at different distances and they're all different-size houses in different directions."

Traditionally, he says, those designing new alloys simply skip over the problem, or just look at the average properties of the grain boundaries as though they were all the same, even though they know that's not the case.

Instead, the team decided to approach the problem rigorously by examining the actual distribution of configurations and interactions for a large number of representative cases, and then using a machine-learning algorithm to extrapolate from these specific cases and provide predicted values for a whole range of possible alloy variations.

In some cases, the clustering of atoms along the grain boundaries is a desired property that can enhance a metal's hardness and resistance to corrosion, but it can also sometimes lead to embrittlement. Depending on the intended use of an alloy, engineers will try to optimize the combination of properties. For this study, the team examined over 200 different combinations of a base metal and an alloying metal, based on combinations that had been described on a basic level in the literature. The researchers then systematically simulated some of these compounds to study their grain boundary configurations. These were used to



generate predictions using machine learning, which were in turn validated with more focused simulations. The machine-learning predictions closely matched the detailed measurements.

As a result, the researchers were able to show that many alloy combinations that had been ruled out as unviable in fact turn out to be feasible, Wagih says. The new database compiled from this study, which has been made available in the public domain, could help anyone now working on designing new alloys, he says.

The team is forging ahead with the analysis. "In our ideal world, what we would do is take every metal in the periodic table, and then we would add every other element in the periodic table to it," Schuh says. "So you take the periodic table and you cross it with itself, and you would check every possible combination." For most of those combinations, basic data are not yet available, but as more and more simulations are done and data collected, this can be integrated into the new system, he says.

Yuri Mishin, a professor of physics and astronomy at George Mason University, who was not involved in this work, says "Grain boundary segregation of solute elements in <u>alloys</u> is one of the most fundamental phenomena in materials science. Segregation can catastrophically embrittle grain boundaries or improve their cohesion and sliding resistance. Precise control of the segregation energies is an effective tool for designing new technological materials with advanced mechanical, thermal, or electronic properties."

But, he adds, "A major limitation of the existing segregation models is the reliance on an average segregation energy, which is a very crude approximation." That's the challenge, he says, that this team has successfully addressed: "The research quality is excellent, and the core idea has a significant potential to impact the alloy design field by providing a framework for rapid screening of alloying elements for their



ability to segregate to grain boundaries."

More information: Malik Wagih et al. Learning grain boundary segregation energy spectra in polycrystals, *Nature Communications* (2020). DOI: 10.1038/s41467-020-20083-6

This story is republished courtesy of MIT News (web.mit.edu/newsoffice/), a popular site that covers news about MIT research, innovation and teaching.

Provided by Massachusetts Institute of Technology

Citation: Researchers find a better way to design metal alloys (2020, December 11) retrieved 2 May 2024 from <u>https://phys.org/news/2020-12-metal-alloys.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.