

New model reveals previously unrecognized complexity of oceanic earthquake zones

December 21 2020



Tadapansawut, T., Okuwaki, R., Yagi, Y., & Yamashita, S. (2020). Rupture Process of the 2020 Caribbean Earthquake along the Oriente Transform Fault, Involving Supershear Rupture and Geometric Complexity of Fault. *Geophysical Research Letters*, https://doi.org/10.1029/2020GL090899



Overview of the study area and the schematic illustration of interaction of fault motion and the seafloor subsidence. Credit: University of Tsukuba

Researchers from the University of Tsukuba applied seismic data from around the world to build a model of the 2020 Caribbean earthquake. Oceanic transform faults are generally considered to be linear and simple and have been widely used in studies of earthquake dynamics. However, the research team found that high complexity in rupture speed and direction can occur even in a supposedly simple linear fault system.

On 28 January 2020, a large oceanic earthquake with magnitude 7.7 occurred at the Oriente transform fault in the Caribbean Sea, between Jamaica and Cuba. It caused a minor tsunami of 0.11 m height and was felt as far afield as Florida.

A research team at the University of Tsukuba has developed a new finitefault inversion method for building models based on teleseismic waveform data from earthquake monitoring stations. This new approach to using the data takes a more <u>flexible approach</u> to resolving the fault geometry. Rather than relying on prior assumptions, the faulting components are separately evaluated in a wider model in both time and space, allowing all possible <u>rupture</u> evolutions to be considered. The team were keen to use the Caribbean earthquake to help to understand the faulting processes that occur during these shallow oceanic quakes.

"Some cases of complex rupture dynamics have recently been reported in previous earthquake studies, raising the question of whether or not we are correctly modeling these even in supposedly simple fault systems," says study author Professor Yuji Yagi. "The initial monitoring of this



January 2020 event suggested variations in the waveform shape between two stations at similar distances from the epicenter, suggesting that there remains complexity to be explored at this fault."

This was an excellent opportunity to test the new method developed by the team, which used data from 52 seismic stations to construct a detailed model of the geophysical processes within the fault that gave rise to the earthquake.

"The results revealed complex rupture during the earthquake, caused by a bend in the fault that led to the changes in rupture speed and direction detected in the monitoring data," explains author Professor Ryo Okuwaki. "These variations triggered several successive rupture episodes that occurred along the 300-km-long fault." The modeling approach also allows some suggestions to be made about the possible occurrence of subsidence and the shape of the surrounding seabed following the earthquake event.

These findings reveal that oceanic transform faults, considered to be simple and linear, may be much more complicated than previously accepted, and therefore require a more comprehensive approach to earthquake modeling. This work will shed light on a possible interaction between the <u>earthquake-fault</u> motion and the evolution of the ocean floor around the transform boundary.

More information: Tira Tadapansawut et al. Rupture Process of the 2020 Caribbean Earthquake along the Oriente Transform Fault, Involving Supershear Rupture and Geometric Complexity of Fault, *Geophysical Research Letters* (2020). DOI: 10.1029/2020GL090899

Provided by University of Tsukuba



Citation: New model reveals previously unrecognized complexity of oceanic earthquake zones (2020, December 21) retrieved 28 June 2024 from <u>https://phys.org/news/2020-12-reveals-previously-unrecognized-complexity-oceanic.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.