


Scientists model photoluminescence kinetics in semiconductor nanoplatelets for better optoelectronics

December 9 2020



Credit: CC0 Public Domain

Researchers from Skoltech and their colleagues have built two models that accurately explain the light-emitting behavior of semiconductor nanoplatelets, minuscule structures that can become the building blocks for optoelectronics of the future. The paper was published in the journal

Physical Chemistry Chemical Physics.

Optoelectronics, a field of photonics that exploits quantum mechanical effects of light on electronic materials, in particular semiconductors, has gained a lot of traction for its promise in all sorts of applications. These range from [solar cells](#) and LEDs to colloidal lasers, a technology expected to replace conventional [semiconductor](#) laser diodes used in barcode scanners and fiber optic communications.

In the search for materials with better [optical properties](#) more suitable for use in optoelectronics, research has focused on nanoplatelets, which are highly promising low-dimensional semiconductor nanocrystals. These are flat structures, just a few nanometers in size, and remarkably versatile and tunable. Modern precision synthesis techniques allow researchers to grow them essentially on-demand, controlling their shape, thickness, and crystal structure. These parameters directly affect the photoluminescence capability and properties.

"Tailoring the synthesis of photoluminescent nanocrystals for specific applications may require predictions of spectral and relaxation characteristics. Hence, we need a detailed understanding and modeling of the underlying kinetics," Skoltech Provost Keith Stevenson, professor at the Center for Energy Science and Technology and a co-author of the paper, explains.

Stevenson, Ph.D. graduate Aleksandr Kurilovich and Vladimir Palyulin, Assistant Professor at the Center for Computational and Data-Intensive Science and Engineering, joined their colleagues in focusing on a way to explain non-trivial kinetics of semiconductor [nanoplatelet](#) photoluminescence in experiments. According to the researchers, earlier theoretical descriptions and experimental findings have always assumed an exponential decay of photoluminescence intensity in nanoplatelets. But more recent measurements showed a stark power-law behavior of

the long-time, pointing to complexity.

The team built two models, a simulation one and a theoretical one, describing the kinetics of photoluminescence in nanoplatelets through the activity of excitons, quasiparticles in the semiconductor that are responsible for light emission in the case of their recombination. The models point to trapping of excitons at surface defects and its interplay with diffusion as key reasons for the complex kinetics. This allowed to successfully interpret experimental results from composite nanoplatelets made of cadmium selenide and cadmium sulfide.

"The model shows the importance of defects at long times and their ability to delay the recombination. This could be used to estimate the needed defect density for slowing down the emission, thus, extending the emission time," Stevenson says.

Other organizations involved in this research include Lomonosov Moscow State University, Institute for Physics & Astronomy at the University of Potsdam, and Akhiezer Institute for Theoretical Physics, National Science Center "Kharkov Institute of Physics and Technology".

More information: A. A. Kurilovich et al, Complex diffusion-based kinetics of photoluminescence in semiconductor nanoplatelets, *Physical Chemistry Chemical Physics* (2020). [DOI: 10.1039/D0CP03744C](https://doi.org/10.1039/D0CP03744C)

Provided by Skolkovo Institute of Science and Technology

Citation: Scientists model photoluminescence kinetics in semiconductor nanoplatelets for better optoelectronics (2020, December 9) retrieved 26 April 2024 from <https://phys.org/news/2020-12-scientists-photoluminescence-kinetics-semiconductor-nanoplatelets.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.