


Sheets of carbon nanotubes come in a rainbow of colors

December 14 2020



A color map illustrates the inherent colors of 466 types of carbon nanotubes with unique (n,m) designations based their chiral angle and diameter. Credit: Kauppinen Group/Aalto University

Nanomaterials researchers in Finland, the United States and China have

created a color atlas for 466 unique varieties of single-walled carbon nanotubes.

The nanotube color atlas is detailed in a study in *Advanced Materials* about a new method to predict the specific colors of [thin films](#) made by combining any of the 466 varieties. The research was conducted by researchers from Aalto University in Finland, Rice University and Peking University in China.

"Carbon, which we see as black, can appear transparent or take on any color of the rainbow," said Aalto physicist Esko I. Kauppinen, the corresponding author of the study. "The sheet appears black if light is completely absorbed by carbon nanotubes in the sheet. If less than about half of the light is absorbed in the nanotubes, the sheet looks transparent. When the atomic structure of the nanotubes causes only certain colors of light, or wavelengths, to be absorbed, the wavelengths that are not absorbed are reflected as visible colors."

Carbon nanotubes are long, hollow carbon molecules, similar in shape to a garden hose, but with sides just one atom thick and diameters about 50,000 times smaller than a human hair. The outer walls of nanotubes are made of rolled graphene. And the wrapping angle of the graphene can vary, much like the angle of a roll of holiday gift wrap paper. If the gift wrap is rolled carefully, at zero angle, the ends of the paper will align with each side of the gift wrap tube. If the paper is wound carelessly, at an angle, the paper will overhang on one end of the tube.

The atomic structure and electronic behavior of each [carbon nanotube](#) is dictated by its wrapping angle, or chirality, and its diameter. The two traits are represented in a "(n,m)" numbering system that catalogs 466 varieties of nanotubes, each with a characteristic combination of chirality and diameter. Each (n,m) type of nanotube has a characteristic color.

Kauppinen's research group has studied carbon nanotubes and nanotube thin [films](#) for years, and it previously succeeded in mastering the fabrication of colored nanotube thin films that appeared green, brown and silver-gray.

In the new study, Kauppinen's team examined the relationship between the spectrum of absorbed light and the visual color of various thicknesses of dry nanotube films and developed a quantitative model that can unambiguously identify the coloration mechanism for nanotube films and predict the specific colors of films that combine tubes with different inherent colors and (n,m) designations.

Rice engineer and physicist Junichiro Kono, whose lab solved the mystery of colorful armchair nanotubes in 2012, provided films made solely of (6,5) nanotubes that were used to calibrate and verify the Aalto model. Researchers from Aalto and Peking University used the model to calculate the absorption of the Rice film and its visual color. Experiments showed that the measured color of the film corresponded quite closely to the color forecast by the model.

The Aalto model shows that the thickness of a nanotube film, as well as the color of nanotubes it contains, affect the film's absorption of light. Aalto's atlas of 466 colors of nanotube films comes from combining different tubes. The research showed that the thinnest and most colorful tubes affect visible light more than those with larger diameters and faded colors.

"Esko's group did an excellent job in theoretically explaining the colors, quantitatively, which really differentiates this work from previous studies on nanotube fluorescence and coloration," Kono said.

Since 2013, Kono's lab has pioneered a method for making highly ordered 2-D nanotube films. Kono said he had hoped to supply

Kauppinen's team with highly ordered 2-D crystalline films of nanotubes of a single chirality.

"That was the original idea, but unfortunately, we did not have appropriate single-chirality aligned films at that time," Kono said. "In the future, our collaboration plans to extend this work to study polarization-dependent colors in highly ordered 2-D crystalline films."

The experimental method the Aalto researchers used to grow nanotubes for their films was the same as in their previous studies: Nanotubes grow from carbon monoxide gas and iron catalysts in a reactor that is heated to more than 850 degrees Celsius. The growth of nanotubes with different colors and (n,m) designations is regulated with the help of carbon dioxide that is added to the reactor.

"Since the previous study, we have pondered how we might explain the emergence of the colors of the nanotubes," said Peking University Professor Nan Wei, who previously worked as a postdoctoral researcher at Aalto. "Of the allotropes of carbon, graphite and charcoal are black, and pure diamonds are colorless to the human eye. However, now we noticed that single-walled [carbon](#) nanotubes can take on any color: for example, red, blue, green or brown."

Kauppinen said colored thin films of [nanotubes](#) are pliable and ductile and could be useful in colored electronics structures and in solar cells.

"The color of a screen could be modified with the help of a tactile sensor in mobile phones, other touch screens or on top of window glass, for example," he said.

Kauppinen said the research can also provide a foundation for new kinds of environmentally friendly dyes.

More information: Nan Wei et al. Colors of Single-Wall Carbon Nanotubes, *Advanced Materials* (2020). [DOI: 10.1002/adma.202006395](https://doi.org/10.1002/adma.202006395)

Provided by Aalto University

Citation: Sheets of carbon nanotubes come in a rainbow of colors (2020, December 14) retrieved 20 April 2024 from <https://phys.org/news/2020-12-sheets-carbon-nanotubes-rainbow.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.