

# Artificial intelligence beats us in chess, but not in memory

January 15 2021

---



The brain strategy for storing memories may lead to imperfect memories, but in turn, allows it to store more memories, and with less hassle than AI. Credit: Shahab Mohsenin

In the last decades, artificial intelligence has shown to be very good at achieving exceptional goals in several fields. Chess is one of them: in 1996, for the first time, the computer Deep Blue beat a human player, chess champion Garry Kasparov. A new piece of research shows now that the brain strategy for storing memories may lead to imperfect memories, but in turn, allows it to store more memories, and with less hassle than AI. The new study, carried out by SISSA scientists in collaboration with Kavli Institute for Systems Neuroscience & Centre for Neural Computation, Trondheim, Norway, has just been published in *Physical Review Letters*.

Neural networks, real or artificial, learn by tweaking the connections between neurons. Making them stronger or weaker, some neurons become more active, some less, until a pattern of activity emerges. This pattern is what we call 'a memory.' The AI strategy is to use complex long algorithms, which iteratively tune and optimize the connections. The brain does it much simpler: each connection between neurons changes just based on how active the two neurons are at the same time. When compared to the AI algorithm, this had long been thought to permit the storage of fewer memories. But, in terms of memory capacity and retrieval, this wisdom is largely based on analyzing networks assuming a fundamental simplification: that neurons can be considered as binary units.

The new research, however, shows otherwise: the fewer number of memories stored using the brain strategy depends on such unrealistic assumption. When the simple strategy used by the brain to change the connections is combined with biologically plausible models for single neurons response, that strategy performs as well as, or even better, than AI algorithms. How could this be the case? Paradoxically, the answer is in introducing errors: when a [memory](#) is effectively retrieved this can be identical to the original input-to-be-memorized or correlated to it. The brain strategy leads to the retrieval of memories which are not identical

to the original input, silencing the activity of those neurons that are only barely active in each pattern. Those silenced neurons, indeed, do not play a crucial role in distinguishing among the different memories stored within a same network. By ignoring them, neural resources can be focused on those [neurons](#) that do matter in an input-to-be-memorized and enable a higher capacity.

Overall, this research highlights how biologically plausible self-organized learning procedures can be just as efficient as slow and neurally implausible training algorithms.

**More information:** Francesca Schönsberg et al, Efficiency of Local Learning Rules in Threshold-Linear Associative Networks, *Physical Review Letters* (2021). [DOI: 10.1103/PhysRevLett.126.018301](https://doi.org/10.1103/PhysRevLett.126.018301)

Provided by International School of Advanced Studies (SISSA)

Citation: Artificial intelligence beats us in chess, but not in memory (2021, January 15) retrieved 3 May 2024 from <https://phys.org/news/2021-01-artificial-intelligence-chess-memory.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.