

Bionic idea boosts lithium-ion extraction

January 4 2021, by He Jianing



Metal ion sieving using a bioinspired nanochannel membrane (Image by XIN



Weiwen). Credit: Chinese Academy of Sciences

Lithium is an energy-critical element that has become a geopolitically significant resource. However, the supply of lithium may not be enough to meet continuously increasing demand. As a result, scientists are looking for new ways to extract lithium ions.

Ion-selective membranes have already been used extensively for water treatment and ion sieving in electrodialysis technology. However, conventional membranes exhibit low and useless Li⁺ selectivity, making them insufficient for meeting industry requirements.

Chinese scientists have recently made progress in the preparation and application of a bioinspired material that is capable of achieving controlled ion transport and sieving, especially for <u>lithium-ion</u> extraction. This work, published in *Matter*, was completed by Prof. Wen Liping's team at the Technical Institute of Physics and Chemistry of the Chinese Academy of Sciences and Prof. Zhang Qianfan's team from Beihang University.

In this research, scientists used nanofibers, such as those from natural silk and polyethyleneimine, to decorate 2-D nanosheets. Inspired by the biological structure in nature, the 2-D nanosheets are self-assembled layer-by-layer to form a nacre-like stacked structure. The composited <u>membrane</u> acts as an ion-gating heterojunction with opposite charges and asymmetrical nanochannels.

"To be more detailed, the composited membrane shows higher toughness than other reported materials and natural nacre structures. The membrane is also able to efficiently control interlayer spacing and achieve stable ordered nanostructures," said Prof. Wen.



The typical brick-and-mortar structure formed by nanofibers and nanosheets exhibits a long-time use in solutions. Meanwhile, the confined dehydration and charge-exclusion effects conduct Li⁺ through composited channels rapidly.

Experimental and theoretical results indicate Li^+ shows an excellent permeation rate that is far higher than Na^+ , K^+ , Mg^{2+} and Ca^{2+} due to its small radius and low charge.

Compared with mobilities in bulk, Li⁺ remains basically consistent with the bulk value. In stark contrast, other ions become less mobile than Li⁺ in bulk.

The methodology of using tailor-made 2-D membranes with chemical, geometrical, and electrostatic heterostructures allows further exploration of nanofluidic phenomena inside nanochannel membranes for <u>water</u> <u>treatment</u> or power generation.

More information: Weiwen Xin et al, Nacre-like Mechanically Robust Heterojunction for Lithium-Ion Extraction, *Matter* (2020). <u>DOI:</u> <u>10.1016/j.matt.2020.12.003</u>

Provided by Chinese Academy of Sciences

Citation: Bionic idea boosts lithium-ion extraction (2021, January 4) retrieved 28 June 2024 from <u>https://phys.org/news/2021-01-bionic-idea-boosts-lithium-ion.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.