


## Breakthrough in understanding 'tummy bug' bacteria

January 20 2021



Scanning Electron Microscope (SEM) image of healthy, growing Vibrio parahaemolyticus. Credit: University of Exeter Bioimaging Unit

Scientists have discovered how bacteria commonly responsible for seafood-related stomach upsets can go dormant and then "wake up".



Vibrio parahaemolyticus is a <u>marine bacterium</u> that can cause gastroenteritis in humans when eaten in raw or undercooked shellfish such as oysters and mussels.

Some of these bacteria are able to turn dormant in poor growth conditions such as <u>cold temperatures</u>—and can remain in that state of hibernation for long periods before resuscitating.

University of Exeter scientists have identified a population of these dormant cells that are better at waking up, and have discovered an enzyme involved in that waking up process.


"Most of these bacteria die when they encounter poor growth conditions, but we identified sub-populations of bacteria that are able to stay dormant for long periods of time," said lead author Dr. Sariqa Wagley, of the University of Exeter.

"We found that this population has a better ability to revive when conditions improve.

"Our tests show that when these dormant bacteria are revived they are just as virulent and able to cause disease."

The findings could have implications for seafood safety, as dormant cells are not detectable using routine microbiological screening tests and the true bacterial load (amount of bacteria) could be underestimated.





Scanning Electron Microscope (SEM) image of dormant Vibrio parahaemolyticus. Credit: University of Exeter Bioimaging Unit

"When they go dormant, these bacteria change shape, reduce respiration activities and they don't grow like healthy bacteria on agar plates used in standard laboratory tests, so they are much harder to detect," Dr. Wagley explained.

"Using a range of tools, we were able to find dormant bacteria in seafood



samples and laboratory cultures and look at their genetic content to look for clues in how they might survive for long periods.


"It is important to note that thorough cooking kills bacteria in seafood.

"Our results may also help us predict the conditions that dormant bacteria need in order to revive."

Working with the seafood industry, the Exeter team identified a lactate dehydrogenase enzyme that breaks down <u>lactic acid</u> into pyruvate, a key component of several metabolic pathways (chemical reactions in a cell).

The findings suggest that lactate dehydrogenase is essential both for maintaining bacterial dormancy and resuscitation back to an active form.





Scanning Electron Microscope (SEM) image of dormant Vibrio parahaemolyticus. Credit: University of Exeter Bioimaging Unit

Vibrio parahaemolyticus usually grows in warm and tropical marine environments, although Dr. Wagley said that due to rising sea temperatures in recent years it is now prevalent in UK waters during the <u>summer months</u>.

During the winter, it is not detected in the marine environment around the UK and it is thought to die due to the cold winter temperatures.

This study could explain how Vibrio parahaemolyticus is able remerge in



the environment during the summer.

The paper, published in the journal *PLOS Pathogens*, is entitled: "Bacterial dormancy: a subpopulation of viable but non-culturable cells demonstrates better fitness for revival."

**More information:** Sariqa Wagley et al, Bacterial dormancy: A subpopulation of viable but non-culturable cells demonstrates better fitness for revival, *PLOS Pathogens* (2021). <u>DOI:</u> 10.1371/journal.ppat.1009194

## Provided by University of Exeter

Citation: Breakthrough in understanding 'tummy bug' bacteria (2021, January 20) retrieved 19 April 2024 from <a href="https://phys.org/news/2021-01-breakthrough-tummy-bug-bacteria.html">https://phys.org/news/2021-01-breakthrough-tummy-bug-bacteria.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.