

## **Convex to concave: More metasurface moiré results in wide-range lens**

January 4 2021



Schematic drawing of working principle. Credit: Kentaro Iwami/ TUAT

The odd, wavy pattern that results from viewing certain phone or computer screens through polarized glasses has led researchers to take a step toward thinner, lighter-weight lenses. Called moiré, the pattern is made by laying one material with opaque and translucent parts at an angle over another material of similar contrast.

A team of researchers from Tokyo University of Agriculture and Technology, TUAT, in Japan have demonstrated that moiré metalenses—tiny, patterned lenses composed of artificial 'meta' atoms—can tune <u>focal length</u> along a wider range than previously seen.



They published their results on November 23 in Optics Express.

"Metalenses have attracted a lot of interest because they are so thin and lightweight, and could be used in ultra-compact imaging systems, like future smart phones, virtual reality goggles, drones or microbots," said paper author Kentaro Iwami, associate professor in the TUAT Department of Mechanical Systems Engineering.

The problem, Iwami said, is that to keep the metalenses compact enough for use in the desired applications, they have a limited focal tuning range for sight. Focal length, measured in millimeters, is the angle of view and strength of magnification and is dictated by the <u>lens</u> shape.

A convex lens, which has a positive focal length, brings light rays to a <u>single point</u>, while a concave lens, with a negative focal length, disperses the <u>light rays</u>. When combined in varifocal lenses, the result is a more complete, sharper image—but tuning the focal length from negative to positive in something as compact as a metalens is tricky, according to Iwami.

"We found that wide-focal length tuning from convex to concave can be achieved by rotational moiré metalenses," Iwami said.

The researchers developed metalenses with high-contrast artificial "meta" atoms composed of amorphous silicon octagonal pillars. When they overlaid one meta lens over the other, creating the moiré pattern, and rotated them, they could use infrared light to tune the focal length of the lenses.

Next the researchers plan to demonstrate wide-focal length tuning at a visible wavelength, and improve the quality of the lens, with the ultimate goal of realizing an ultra-compact imaging system.



**More information:** Kentaro Iwami et al, Demonstration of focal length tuning by rotational varifocal moiré metalens in an ir-A wavelength, *Optics Express* (2020). <u>DOI: 10.1364/OE.411054</u>

## Provided by Tokyo University of Agriculture and Technology

Citation: Convex to concave: More metasurface moiré results in wide-range lens (2021, January 4) retrieved 23 May 2024 from <u>https://phys.org/news/2021-01-convex-concave-metasurface-moir-results.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.