


## Fast transport in carbon nanotube membranes could advance human health

January 8 2021, by Anne M Stark



Artistic rendering of fast ion permeation inside single-walled carbon nanotubes. Small ions such as potassium, chloride and sodium permeate through the inner volume of nanometer-wide carbon nanotubes at rates that surpass diffusion in bulk water by an order of magnitude. Credit: Francesco Fornasiero/LLNL

Lawrence Livermore National Laboratory (LLNL) researchers have discovered that carbon nanotube membrane pores could enable ultrarapid dialysis processes that would greatly reduce treatment time for



hemodialysis patients.

The ability to separate molecular constituents in complex solutions is crucial to many biological and man-made processes. One way is via the application of a concentration gradient across a <u>porous membrane</u>. This drives ions or molecules smaller than the <u>pore</u> diameters from one side of the <u>membrane</u> to the other while blocking anything that is too large to fit through the pores.

In nature, <u>biological membranes</u> such as those in the kidney or liver can perform complex filtrations while still maintaining high throughput. Synthetic membranes, however, often struggle with a well-known tradeoff between selectivity and permeability. The same <u>material properties</u> that dictate what can and cannot pass through the membrane inevitably reduce the rate at which filtration can occur.

In a surprising discovery published in the journal *Advanced Science*, LLNL researchers found that carbon nanotube pores (graphite cylinders with diameters thousands of times smaller than a human hair) might provide a solution to the permeability vs. selectivity tradeoff. When using a concentration gradient as a driving force, small ions, such as potassium, chloride and sodium, were found to diffuse through these tiny pores more than an order of magnitude faster than when moving in bulk solution.

"This result was unexpected because the general consensus in the literature is that diffusion rates in pores of this diameter should be equal to, or below what we see in bulk," said Steven Buchsbaum, lead author of the paper.

"Our finding enriches the number of exciting and often poorly understood nanofluidic phenomena recently discovered in a-fewnanometer confinement," added Francesco Fornasiero, the principal



investigator on the project.

The team believes this work has significant implications in several technology areas. Membranes employing carbon nanotubes as transport channels could enable ultra-rapid hemodialysis processes that would greatly reduce treatment time. Similarly, cost and time for purifying proteins and other biomolecules as well as recovering valuable products from electrolyte solutions could be drastically reduced. Enhanced ion transport in small graphitic pores could enable supercapacitors with high power density even at pore sizes closely approaching those of the ions.

To perform these studies the team leveraged <u>previously developed</u> <u>membranes</u> that allow for transport to occur only through the hollow interior of aligned carbon nanotubes with a few nanometer diameters. Using a custom diffusion cell, a concentration gradient was applied across these membranes and the transport rate of various salts and water was measured. "We have developed rigorous control tests to make sure there was no other possible explanation of the recorded large ion fluxes, such as transport occurring through leaks or defects in our membranes," Buchsbaum said.

To better understand why this behavior occurs, the team enlisted the help of several LLNL experts. Anh Pham and Ed Lau used <u>computational</u> <u>simulations</u> and April Sawvel used <u>nuclear magnetic resonance</u> <u>spectroscopy</u> to study the movement of ions inside carbon nanotubes. Several possible explanations have been successfully ruled out, making the picture clearer. However, a complete, quantitative understanding of the observed <u>transport</u> rates is still being developed.

**More information:** Steven F. Buchsbaum et al. Fast Permeation of Small Ions in Carbon Nanotubes, *Advanced Science* (2020). DOI: 10.1002/advs.202001802



## Provided by Lawrence Livermore National Laboratory

Citation: Fast transport in carbon nanotube membranes could advance human health (2021, January 8) retrieved 25 April 2024 from <u>https://phys.org/news/2021-01-fast-carbon-nanotube-membranes-advance.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.