

# Will global warming bring a change in the winds? Dust from the deep sea provides a clue

January 6 2021, by Kevin Krajick

---




Image of a dust plume leaving China and crossing the Korean Peninsula and Japan. Researchers studied the dust deposited in ancient ocean sediments in order to understand how wind patterns in this area have shifted in the past. Their findings provide a better understanding of how the winds may change in the future. Credit: SeaWiFS Project, NASA/Goddard Space Flight Center, and ORBIMAGE

The westerlies—or westerly winds—play an important role in weather and climate both locally and on a global scale, by influencing precipitation patterns, impacting ocean circulation and steering tropical cyclones. So, finding a way to assess how they will change as the climate warms is crucial.

Typically, the westerlies blow from west to east across the planet's middle latitudes. But scientists have noticed that over the last several decades, these winds are changing, migrating poleward. Research suggests this is because of [climate change](#). But, scientists have been debating whether the poleward movement of the westerlies will continue as temperatures and [atmospheric carbon dioxide](#) (CO<sub>2</sub>) increase further under future [warming](#) scenarios. It's been difficult to resolve this scientific question because our knowledge of the westerlies in past warm climates has until now been limited.

In a paper published January 6 in *Nature*, climate researchers from Columbia University's Lamont-Doherty Earth Observatory describe a new method of tracking the ancient history of the [westerly winds](#)—a proxy for what we may experience in a future warming world. The lead author, Lamont graduate student Jordan Abell and his advisor, Gisela Winckler, developed a way to apply paleoclimatology—the study of past climate—to the question of the behavior of the westerly winds, and found evidence suggesting that atmospheric circulation patterns will change with climate warming.




Sediment cores like the one shown here, drilled from the bottom of the ocean, contain records of past climate conditions within their layers. Dust in cores collected by the research vessel JOIDES Resolution and stored at Texas A&M University helped to reveal changing patterns in the westerly winds. Credit: Jordan Abell/Lamont-Doherty Earth Observatory

The finding represents a breakthrough in our understanding of how the winds changed in the past, and how they may continue to change in the future.

By using dust in ancient, deep sea sediments as an indirect tracer of wind, the researchers were able to reconstruct wind patterns that

occurred three to five million years ago. Knowing that winds—in this case the westerlies—transport dust from desert regions to faraway locations, the authors examined cores from the North Pacific Ocean. This area is downwind from Eastern Asia, one of the largest dust sources today and a known dust-generating region for the past several million years. By measuring the dust in cores from two different sites thousands of kilometers apart, the researchers were able to map changes in dust, and in turn the westerly winds.

"We could immediately see the patterns. The data are so clear. Our work is consistent with modern observations, and suggests that wind patterns will change with climate warming," said Abell.



The researchers found that during the warm parts of the Pliocene (3-5 million years ago), the westerlies were located closer to the poles. The image on the right shows how the westerlies moved toward the equator during colder intervals afterward. Recent observations indicate that as the planet warms due to climate change, the westerlies are once again shifting poleward. Credit: Abell et al., Nature 2021

They found that during the warm parts of the Pliocene (a period three to five million years ago, when the Earth was about two to four degrees



Celsius warmer than today but had approximately the same concentration of CO<sub>2</sub> in the air as we do now), the westerlies, globally, were located closer towards the poles than during the colder intervals afterwards.

"By using the Pliocene as an analogue for modern global warming, it seems likely that the movement of the westerlies towards the poles observed in the modern era will continue with further human-induced warming," explained Winckler.

The movement of these winds have huge implications for storm systems and precipitation patterns. And while this research does not indicate exactly where it will rain more or less, it confirms that the wind and precipitation patterns will change with [climate](#) warming.

"In the Earth history record, tracking down movements of [wind](#) and how they've changed, that's been elusive because we didn't have a tracer for it," said Winckler. "Now we do."

**More information:** Poleward and weakened westerlies during Pliocene warmth, *Nature* (2021). [DOI: 10.1038/s41586-020-03062-1](https://doi.org/10.1038/s41586-020-03062-1) , [www.nature.com/articles/s41586-020-03062-1](https://www.nature.com/articles/s41586-020-03062-1)

Provided by Earth Institute at Columbia University

Citation: Will global warming bring a change in the winds? Dust from the deep sea provides a clue (2021, January 6) retrieved 19 May 2024 from <https://phys.org/news/2021-01-global-deep-sea-clue.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---