

Proteins unspool DNA so cells can take on unique properties

January 22 2021



Credit: CC0 Public Domain

Biologists have long wondered how complex organisms contain a variety of dramatically different types of cells with specialized functions, even though all of those cells are genetically identical.

New research reveals how proteins, called pioneer [transcription factors](#), help turn on key [genes](#) that give cell types their unique properties and

functions.

These pioneer factors, it turns out, help unspool tightly wound coils of DNA so that genetic blueprints in genes can be read and proteins that play roles in biological processes can be made.

The study in [fruit flies](#), "Pioneer-like Factor GAF Cooperates with PBAP (SWI/SNF) and NURF (ISWI) to Regulate Transcription," was published Dec. 10 in the journal *Genes & Development*.

"We know pretty well what pioneer factors are and what they do, but what we don't know is how they work exactly," said first author Julius Judd, a [graduate student](#) in the lab of senior author John Lis, professor of molecular biology and genetics in the College of Agriculture and Life Sciences.

In a cell's nucleus, DNA is bound around a collection of histone proteins called nucleosomes. "DNA is wrapped around it and so the backside of the DNA is inaccessible to recognition because it's up against these proteins," Lis said.

As a result, the transcription factors and machinery required to read DNA sequences for making proteins can't access these genetic codes. Genes therefore exist in a default 'off' state until the DNA can be accessed and the codes can be read.

In the study, the researchers focused on a suspected pioneer transcription factor found in fruit flies called GAGA-factor (GAF). Previous work in Lis' lab has shown that GAF binds to target genes and removes nucleosomes; that exposes DNA sequences that mark where transcription of a gene begins, called a promoter sequence.

Research in other labs also suggested that GAF plays a role in embryonic

development. And the researchers had evidence that GAF interacts with two different complexes called remodelers, which catalyze the process of removing the nucleosomes from DNA. All of this evidence led Lis, Judd and colleagues to believe that GAF was indeed a pioneer factor.

To test their hypothesis, Judd ran a number of different genome-wide assays to monitor transcription; how accessible the chromatin (spooled DNA) is for transcription; where GAF binds; and the cellular levels of RNA that are translated into protein. They applied these assays both to untreated *Drosophila* cells and cells where GAF was depleted.

The studies revealed that when GAF binds to a target gene, it recruits a remodeler called PBAP, which removes these nucleosomes and creates an accessible tract of DNA for transcription. Furthermore, at some genes nucleosomes immediately downstream of the promoter also need to be moved. In those cases, GAF relies on a different remodeler, called NURF, to push the first nucleosome along the gene out of the way to make it easier for the transcription machinery to transcribe the DNA.

"We found one pioneer factor that can interact with both remodelers and act at different steps in the process of [transcription](#). That is what is particularly novel," Lis said.

Prior evidence has identified remodeling complexes almost identical to PBAP and NURF in yeast, and there are suggestions that this process occurs in mice and possibly mammals. "We think the way these remodelers are working is a deeply conserved and the conclusions are broadly applicable," Judd said.

More information: Julius Judd et al. Pioneer-like factor GAF cooperates with PBAP (SWI/SNF) and NURF (ISWI) to regulate transcription, *Genes & Development* (2020). [DOI: 10.1101/gad.341768.120](https://doi.org/10.1101/gad.341768.120)

Provided by Cornell University

Citation: Proteins unspool DNA so cells can take on unique properties (2021, January 22)
retrieved 2 May 2024 from

<https://phys.org/news/2021-01-proteins-unspool-dna-cells-unique.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.