

## Engineers' reactor converts gas directly into acetic acid

January 11 2021, by Mike Williams



An electron microscope images shows copper nanocubes used by Rice University engineers to catalyze the transformation of carbon monoxide into acetic acid. Credit: Wang Group/Senftle Group/Rice University

A sweet new process is making sour more practical.

Rice University engineers are turning <u>carbon monoxide</u> directly into acetic <u>acid</u>—the widely used chemical agent that gives vinegar its



tang—with a continuous catalytic reactor that can use renewable electricity efficiently to turn out a highly purified product.

The electrochemical process by the labs of chemical and biomolecular engineers Haotian Wang and Thomas Senftle of Rice's Brown School of Engineering resolves issues with previous attempts to reduce carbon monoxide (CO) into acetic acid. Those processes required additional steps to purify the product.

The environmentally friendly reactor uses nanoscale cubes of copper as the primary catalyst along with a unique solid-state electrolyte.

In 150 hours of continuous lab operation, the device produced a solution that was up to 2% acetic acid in water. The acid component was up to 98% pure, far better than that produced through earlier attempts to catalyze CO into liquid fuel.

Details appear in the Proceedings of the National Academy of Sciences.

Along with vinegar and other foods, acetic acid is used as an antiseptic in medical applications; as a solvent for ink, paint and coatings; and in the production of vinyl acetate, a precursor to common white glue.





Rice University engineers have developed a reactor to produce liquid acetic acid directly from carbon monoxide. The reactor uses a catalyst of copper nanocubes and a solid-state electrolyte. Credit: Illustration by Peng Zhu/Rice University

The Rice process builds upon the Wang lab's reactor to produce formic acid from carbon dioxide ( $CO_2$ ). That research established an important foundation for Wang, recently named a Packard Fellow, to win a \$2 million National Science Foundation (NSF) grant to continue exploring the conversion of greenhouse gases into liquid fuels.



"We're upgrading the product from a one-carbon chemical, the formic acid, to two-carbon, which is more challenging," Wang said. "People traditionally produce acetic acid in liquid electrolytes, but they still have the issue of low performance as well as separating the product from the electrolyte."

"Acetic acid is typically not synthesized, of course, from CO or  $CO_2$ ," Senftle added. "That's the key here: We're taking waste gases we want to mitigate and turning them into a useful product."

It took a careful coupling between the copper catalyst and solid electrolyte, the latter carried over from the formic acid reactor. "Sometimes copper will produce chemicals along two different pathways," Wang said. "It can reduce CO into acetic acid and alcohols. We engineered copper cubes dominated by one facet that can help this carbon-carbon coupling, with edges that direct the carbon-carbon coupling towards <u>acetic acid</u> instead of other products."

Computational models by Senftle and his team helped refine the cubes' form factor. "We were able to show there are types of edge on the cube, basically more corrugated surfaces, that facilitate breaking certain C-O bonds that steer the products one way or the other," he said. "Having more edge sites favors breaking the right bonds at the right time."

Senftle said the project was a great demonstration of how theory and experiment should mesh. "It's a nice example of engineering on many levels, from integration of the components in a reactor all the way down to the mechanism at the atomistic level," he said. "It fits with the themes of molecular nanotechnology, showing how we can scale it up to realworld devices."

The next step in development of a scalable system is to improve upon the system's stability and further reduce the amount of energy the process



requires, Wang said.

Rice graduate students Peng Zhu and Chun-Yen Liu and Chuan Xia, the J. Evans Attwell-Welch Postdoctoral Fellow, are co-lead authors of the paper.

**More information:** Peng Zhu et al, Direct and continuous generation of pure acetic acid solutions via electrocatalytic carbon monoxide reduction, *Proceedings of the National Academy of Sciences* (2020). DOI: 10.1073/pnas.2010868118

Provided by Rice University

Citation: Engineers' reactor converts gas directly into acetic acid (2021, January 11) retrieved 2 May 2024 from <u>https://phys.org/news/2021-01-reactor-gas-acetic-acid.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.