


# Scientists streamline process for controlling spin dynamics

January 19 2021, by Stephanie Kossman

---



NSLS-II scientists Valentina Bisogni (left) and Jonathan Pellicciari (right) at pictured at the Soft Inelastic X-ray Scattering (SIX) beamline, where this research was conducted. Credit: Brookhaven National Laboratory

Marking a major achievement in the field of spintronics, researchers at

the U.S. Department of Energy's (DOE) Brookhaven National Laboratory and Yale University have demonstrated the ability to control spin dynamics in magnetic materials by altering their thickness. The study, published today in *Nature Materials*, could lead to smaller, more energy-efficient electronic devices.

"Instead of searching for different materials that share the right frequencies, we can now alter the thickness of a single material—iron, in this case—to find a magnetic medium that will enable the transfer of information across a [device](#)," said Brookhaven physicist and principal investigator Valentina Bisogni.


Traditional electronics rely on a fundamental property of electrons—charge—to transmit information. But as electrical current flows throughout a device, it dissipates heat, limiting how small devices can be designed without the risk of overheating and sacrificing performance. To meet the demand for smaller and more advanced electronics, researchers are looking into an alternative approach based on a different fundamental property of electrons—spin. Similar to charge, spin can move throughout a material like a current. The difference is that a charge current is comprised of electrons that physically move, whereas in a spin "current," the electrons do not move; rather, they hand over their spin direction to each other like passing a baton in a relay race—one that has a long chain of "runners" who never actually run.

"There is always a need for more memory or storage capacity in electronic devices, and heat dissipation is currently impeding us from creating devices on a smaller scale," Bisogni said. "Relying on spin instead of charge significantly reduces overheating in devices, so the goal of spintronics is to realize the same device functionalities, or better, that are already known in traditional electronics—without the drawbacks."

To date, spin dynamics have typically been measured using neutron scattering techniques; however, this method requires samples to be studied in bulk (multiple grams of sample at once). In real-world applications, the material must be scaled down to much smaller sizes.

"It is very difficult to predict how certain materials will perform at different length scales," Bisogni said. "Given that many electronic devices consist of a very small amount of material, it is important to study how the properties in a thin film compare to the bulk."

To address this scientific question, the research team used a technique called resonant inelastic X-ray scattering (RIXS) to study thin films of iron as thin as one nanometer. Though RIXS is well-established in the scientific field, this study is only one of a few examples where researchers have used this technique to study spin dynamics in such a thin material. The achievement was made possible by the advanced capabilities of the Soft Inelastic X-ray Scattering (SIX) beamline at the National Synchrotron Light Source II (NSLS-II)—a DOE Office of Science User Facility at Brookhaven National Laboratory.



An artist's interpretation of measuring the evolution of material properties as a function of thickness using resonant inelastic x-ray scattering. Credit: Brookhaven National Laboratory

"We were able to perform these measurements by combining the ultrabright X-ray source at NSLS-II with the unparalleled energy resolution and spectrometer at the SIX beamline," said Jonathan Pellicciari, lead author of the study and a scientist at SIX.

The SIX beamline is equipped with a 50-foot-long spectrometer arm, housed in its own building adjacent to NSLS-II's experimental floor. This long, movable arm enables SIX to obtain an extremely high energy resolution and reveal the collective motion of electrons and their spin within a material.

First studying iron in bulk, the research team confirmed results from previous neutron scattering techniques. Then, as they moved towards thinner materials, they not only successfully observed spin dynamics at the atomic scale, but also discovered thickness could act as a "knob" for fine-tuning and controlling spin dynamics.

"It was exciting to see the way in which iron maintained its ferromagnetic properties from the bulk to just a few monolayers," said Bisogni, lead beamline scientist at SIX. "With iron being such an elemental and simple material, we consider this to be a benchmark case for studying the evolution of properties as a function of thickness using RIXS."

Pellicciari added, "This work is the result of a strong synergy between world-class facilities. In addition to the high-level experiment and characterization study done at NSLS-II, this research would not have

been possible without the expertise and state-of-the-art synthesis capabilities from our colleagues at Yale University."

"Because Yale is only two hours away from NSLS-II, I was able to fully participate in the experiment," said Sangjae Lee, a graduate student in Charles Ahn lab at Yale University. Lee and Ahn are co-authors of the study. "This experiment was an inspiring opportunity to perform hands-on synchrotron measurements with world-class scientists at NSLS-II."

Researchers in Brookhaven's condensed matter physics and materials science department also provided theory support for the best interpretation of the experimental data.

The research team at SIX will continue to use RIXS to observe material properties related to spintronics. Their ultimate goal is to develop an "on or off switch" for controlling spin dynamics in devices and understand the underlying microscopic mechanism.

**More information:** Jonathan Pelliciari et al. Tuning spin excitations in magnetic films by confinement, *Nature Materials* (2021). [DOI: 10.1038/s41563-020-00878-0](https://doi.org/10.1038/s41563-020-00878-0)

Provided by Brookhaven National Laboratory

Citation: Scientists streamline process for controlling spin dynamics (2021, January 19) retrieved 19 April 2024 from <https://phys.org/news/2021-01-scientists-dynamics.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.