


# Scientists measure local vibrational modes at individual crystalline faults

January 12 2021

---



A team led by UCI materials science researchers was the first to measure phonons, quantum mechanical vibrations in a lattice, at individual defects in a crystal. The breakthrough opens the door to the engineering of better materials for use in high-technology devices. Credit: Xiaoqing Pan / UCI

Often admired for their flawless appearance to the naked eye, crystals can have defects at the nanometer scale, and these imperfections may affect the thermal and heat transport properties of crystalline materials used in a variety of high-technology devices.

Employing newly developed electron microscopy techniques, researchers at the University of California, Irvine and other institutions have, for the first time, measured the spectra of phonons—quantum mechanical vibrations in a lattice—at individual crystalline faults, and they discovered the propagation of phonons near the flaws. The team's findings are the subject of a study published recently in *Nature*.

"Point defects, dislocations, stacking faults and grain boundaries are often found in crystalline materials, and these defects can have a significant impact on a substance's thermal conductivity and [thermoelectric performance](#)," said senior co-author Xiaoqing Pan, UCI's Henry Samueli Endowed Chair in Engineering, as well as a professor of materials science and engineering and physics & astronomy.

He said that there are ample theories to explain the interactions between crystal imperfections and phonons but little experimental validation due to the inability of earlier methods to view the phenomena at high enough space and momentum resolution. Pan and his collaborators approached the problem through the novel development of space- and momentum-resolved [vibrational spectroscopy](#) in a [transmission electron microscope](#) at UCI's Irvine Materials Research Institute.

With this technique, they were able to observe individual defects in cubic silicon carbide, a material with a wide range of applications in electronic devices. Pan and his colleagues were familiar with how imperfections in silicon carbide are manifested as stacking faults, and theoretical work has described the thermoelectric impacts, but now the team has produced direct experimental data to characterize phonon

interactions with the individual defects.

"Our method opens up the possibility of studying the local vibrational modes at intrinsic and non-[intrinsic defects](#) in materials," said Pan, who is also director of IMRI and UCI's Center for Complex and Active Materials, funded by the National Science Foundation. "We expect it to find important applications in many different areas, ranging from the study of thermal resistance-inducing interfacial phonons to defect structures engineered to optimize a material's thermal properties."

**More information:** Xingxu Yan et al. Single-defect phonons imaged by electron microscopy, *Nature* (2021). [DOI: 10.1038/s41586-020-03049-y](#)

Provided by University of California, Irvine

Citation: Scientists measure local vibrational modes at individual crystalline faults (2021, January 12) retrieved 24 April 2024 from <https://phys.org/news/2021-01-scientists-local-vibrational-modes-individual.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--