


# Titanium oxide nanotubes facilitate low-cost laser-assisted photoporation

January 25 2021



Pictorial representation of (a) cells cultured on top of titanium oxide nanotubes and (b) massively parallel photoporation using the interaction between an array of nanotubes and a pulse laser. Credit: Toyohashi University of Technology.


A research team at the Department of Mechanical Engineering at Toyohashi University of Technology developed a nanosecond pulse laser-assisted photoporation method using titanium-oxide nanotubes (TNT) for highly efficient and low-cost intracellular delivery. The results of their research will be published in the *Applied Surface Science* on 30 March 2021, 148815.

The potential to deliver external molecules into living [cells](#) with high cell

viability and transfection ability is of great interest in cell biology for diagnostics, drug delivery, and therapeutic development towards cell therapy and regenerative medicine. Over many years, [drug delivery](#) systems have advanced to attain more control of drug dosage, targeted delivery, and reduced side effects. These techniques can be classified as viral, physical, or chemical methods.

Among these methods, photoporation is emerging and has become popular for intracellular delivery in the last few years, owing to less invasiveness. In this method, gold nanoparticles, which absorb pulsed light, are dispersed in a solution to perforate the cells, however, the materials are expensive. It is desirable to use nanomaterials that are less expensive while maintaining high delivery efficiency and cell viability.

The research group designed and fabricated a cost-effective nanotube array for photoporation based intracellular delivery. TNTs were formed on titanium sheets at different voltages and times using the electrochemical anodization technique. X-ray photoelectron spectroscopy (XPS) revealed the presence of different titanium oxide species such as  $\text{TiO}_2$  and  $\text{Ti}_x\text{O}_y$  ( $\text{TiO}/\text{Ti}_2\text{O}_3/\text{Ti}_3\text{O}_5$ ). TNTs formed by different anodization voltages and times had different concentrations of such oxidation species along with a minor quantity of Ti metal (Ti0). Owing to the formation of oxygen defects, nanotubes have quasi-metallic and metallic properties. These properties of the nanotubes may facilitate the intracellular delivery by various mechanisms after irradiation with a nanosecond pulse laser.



Schematic representation of possible mechanism of photoporation on titanium oxide nanotubes for cargo delivery. Credit: Toyohashi University of Technology.

HeLa—human cervical cancer cells were cultured on TNTs and a biomolecular solution was introduced. After exposure to a 532-nm pulse laser on nanotubes, we successfully delivered propidium iodide (PI) and dextran into the HeLa—human cervical cancer cells with high efficiency and cell viability.

Possible principles of [cell membrane](#) perforation include thermal-mediated nanobubbles, photochemical induced reactive oxygen species (ROS), heat transfer from nanotubes to the cell membrane, and localized surface plasmon resonance high electromagnetic field enhancement on each nanotube. This leads to the formation of cavitation nanobubbles in each cell membrane-nanotube interface that may rapidly grow, coalesce, and collapse to cause explosions, resulting in cell membrane perforation, which enables biomolecules to be delivered from the outside to inside the cells. "The precise mechanism for the intracellular delivery on TNT-based photoporation is still unclear. Intracellular delivery may happen by the combination of the mechanisms," says L. Mohan, a researcher, at Toyohashi University of Technology.

Moeto Nagai, the team leader, at Toyohashi University of Technology, believes that titanium oxide [nanotubes](#) could be a versatile and low-cost platform for intracellular delivery using pulsed laser. This device's prominent features have parallel and controlled uniform [delivery](#) with [high efficiency](#) and cell viability and it is potentially applicable for cellular therapy and regenerative medicine.

**More information:** L. Mohan et al, Can titanium oxide nanotubes facilitate intracellular delivery by laser-assisted photoporation?, *Applied Surface Science* (2020). [DOI: 10.1016/j.apsusc.2020.148815](https://doi.org/10.1016/j.apsusc.2020.148815)

Provided by Toyohashi University of Technology

Citation: Titanium oxide nanotubes facilitate low-cost laser-assisted photoporation (2021, January 25) retrieved 25 July 2024 from <https://phys.org/news/2021-01-titanium-oxide-nanotubes-low-cost-laser-assisted.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.