


# Wood formation can now be followed in real-time—and possibly serve the climate of tomorrow

January 28 2021

---



Visualization of cell wall patterns. Credit: Dr. René Schneider

A genetic engineering method makes it possible to observe how woody cell walls are built in plants. The new research in wood formation, conducted by the University of Copenhagen and others, opens up the possibility of developing sturdier construction materials and perhaps more climate efficient trees.

The ability of certain tree species to grow taller than 100 meters is due to complex biological engineering. Besides needing the right amounts of water and light to do so, this incredible ability is also a result of cell walls built sturdily enough to keep a tree both upright and able to withstand the tremendous pressure created as water is sucked up from its roots and into its leaves.

This ability is made possible by what are known as the secondary cell walls of [plants](#). Secondary cell walls, also known as xylem or wood, are built according to a few distinct and refined patterns that allow wall strength to be maintained while still allowing connecting [cells](#) to transport water from one to the other.

How these wall patterns are built has been a bit of a mystery. Now, the mystery is starting to resolve. For the first time, it is possible to observe the process of woody cell wall pattern formation within a plant—and in real-time no less. A team of international researchers, including Professor Staffan Persson of the University of Copenhagen, has found a way to monitor this [biological process](#) live, under the microscope. The [scientific article](#) for the study is published in the renowned journal, *Nature Communications*.

This opens up the possibility of manipulating the building process and perhaps even making plant xylem stronger—a point that shall be returned to.

**A genetic trick makes it possible to observe wood**

## **formation in real-time**

Because wood forms in tissue that is buried deep inside the plant, and microscopes work best on the surfaces of objects, the wood-forming process is difficult to observe. To witness it in action, researchers needed to apply a genetic trick. By modifying the plants with a genetic switch, they were able to turn on wood formation in all cells of the plant—including those on the surface. This allowed them to observe the wood formation under a microscope in detail and in real time.

Cell walls consist mainly of cellulose, which is produced by enzymes located on the surface of all plant cells. Generally speaking, the process involves the orderly arrangement of protein tubes—known as microtubules—at the surface of the cells. The microtubules serve as tracks along which the wall producing enzymes deposit construction material to the wall.

"One can imagine the construction process as a train network, where the train would represent the cellulose-producing enzymes, as they move forward while producing cellulose fibers. The microtubules, or rails, steer the direction of the proteins, just like train rails. Interestingly, during the formation of woody cell walls these 'rails' need to change their organization completely to make patterned walls—a process that we now can follow directly under our microscopes" explains Staffan Persson, of UCPH's Department of Plant and Environmental Sciences.

## **Taller trees and sturdier building materials**

"We now have a better understanding of the mechanisms that cause the microtubules to rearrange and form the patterns. Furthermore, we can simulate the wall pattern formation on a computer. The next step is to identify ways that allows us to make changes to the system. For example,

by changing patterns," suggests Persson.

First author, Dr. Rene Schneider adds, "Changing the patterns can alter the ways in which a plant grows or distributes water within it, which can then go on to influence a plant's height or biomass. For example, if you could create trees that grow differently by accumulating more biomass, it could potentially help slow the increase in carbon dioxide in the atmosphere."

In the longer term, Persson suggests that one of the most obvious applications is to manipulate biological processes to develop stronger or different woody construction materials.

"If we can change both the chemical composition of cell walls, which we and other researchers are already working on, and the patterns of cell walls, we can probably alter wood strength and porosity. Sturdier construction materials made of wood don't just benefit the construction industry, but the environment and climate as well. They have a smaller carbon footprint, a longer service life and can be used for manifold purposes. In some cases, they may even be able to replace energy-intensive materials like concrete," says Persson, whose background as a construction engineer compliments his plant biology background.

He also points to potential applications in the development of cellulose-based nanomaterials. These are gaining ground in medicine, where cellulose-based nanomaterials can be used to efficiently transport pharmaceuticals throughout the body.

However, these applications would first require further knowledge in how we can manipulate secondary walls and implementation of the knowledge in trees or other useful crop plants as much of our research is conducted in model plant organisms, such as thale cress, underscores both Staffan Persson and Rene Schneider.

**More information:** René Schneider et al, Long-term single-cell imaging and simulations of microtubules reveal principles behind wall patterning during proto-xylem development, *Nature Communications* (2021). [DOI: 10.1038/s41467-021-20894-1](https://doi.org/10.1038/s41467-021-20894-1)

Provided by University of Copenhagen

Citation: Wood formation can now be followed in real-time—and possibly serve the climate of tomorrow (2021, January 28) retrieved 23 June 2024 from <https://phys.org/news/2021-01-wood-formation-real-timeand-possibly-climate.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.