

A-maze-ing pheasants have two ways of navigating

February 25 2021



A maze used in the study (here with all doors/walls open). Credit: Pip Laker

Pheasants fall into two groups in terms of how they find their way around—and the different types prefer slightly different habitats, new research shows.

University of Exeter scientists tested whether individual pheasants used landmarks (allocentric) or their own position (egocentric) to learn the

way through a maze.

The captive-bred pheasants were later released into the wild, and their choice of [habitat](#) was observed.

All pheasants favoured woodland, but allocentric navigators spent more time out in the open, where their landmark-based style is more useful.

"Humans tend to use both of these navigational tactics and quite frequently combine them, but when animals are tested, they often seem to rely more on one or the other," said Dr. Christine Beardsworth.

"It is assumed that species favour whichever [strategy](#) suits their habitat, rather than using habitats which suit their strategy.

"Pheasants generally favour woodland, where an allocentric strategy is difficult because there are lots of trees close together, so it is hard to pick out landmarks.

"So, we might expect most pheasants to use an egocentric strategy—turning left, turning right or moving forward based on their own position and previous movements.



A juvenile pheasant Credit: Pip Laker

"However, in our study about half of pheasants reared in identical conditions used an allocentric strategy, while the other half used an egocentric or mixed strategy."

In the experiments, 20 pheasants first learned how to navigate through a simple maze, then faced a rotated version.

By altering the orientation of the [maze](#) but keeping the placement of "landmarks" the same, including the position of a human observer, the scientists were able to establish the preferred navigation strategy of each [pheasant](#).

The discovery of individual variation suggest pheasants are either born with an "inherent cognitive bias", or develop one early in life.

Resulting differences in habitat selection may indicate that these biases help them to navigate more effectively in particular environments, perhaps outperforming other pheasants in relocating resources. However, it is not yet clear whether this is the case.

More information: Christine E. Beardsworth et al, Is habitat selection in the wild shaped by individual-level cognitive biases in orientation strategy?, *Ecology Letters* (2021). [DOI: 10.1111/ele.13694](https://doi.org/10.1111/ele.13694)

Provided by University of Exeter

Citation: A-maze-ing pheasants have two ways of navigating (2021, February 25) retrieved 17 June 2024 from <https://phys.org/news/2021-02-a-maze-ing-pheasants-ways.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.