

Solving complex physics problems at lightning speed

February 1 2021, by Mia Halleröd Palmgren



Physicists have developed a new method that enables emulation of complex calculations at lightning speed. This could yield new insights about the quantum properties of strongly interacting matter such as atomic nuclei and neutron stars. Credit: Andreas Ekström and Yen Strandqvist/Chalmers University of Technology

A calculation so complex that it takes 20 years to complete on a powerful desktop computer can now be done in one hour on a regular laptop. Physicist Andreas Ekström at Chalmers University of Technology, together with international research colleagues, has designed a new method to calculate the properties of atomic nuclei



incredibly quickly.

The new approach is based on a concept called emulation, where an approximate calculation replaces a complete and more complex calculation. Although the researchers are taking a shortcut, the solution ends up almost exactly the same. It is reminiscent of algorithms from machine learning, but ultimately the researchers have designed a completely new method. It opens up even more possibilities in <u>fundamental research</u> in areas such as <u>nuclear physics</u>.

"Now that we can emulate atomic nuclei using this method, we have a completely new tool to construct and analyze theoretical descriptions of the forces between protons and neutrons inside the <u>atomic nucleus</u>," says research leader Andreas Ekström, Associate Professor at the Department of Physics at Chalmers.

Fundamental to understanding our existence

The subject may sound niche, but it is in fact fundamental to understanding our existence and the stability and origin of visible matter. Most of the atomic mass resides in the center of the atom, in a dense region called the atomic nucleus. The constituent particles of the nucleus, the protons and neutrons, are held together by something called the strong force. Although this force is so central to our existence, no one knows exactly how it works. To increase our knowledge and unravel the fundamental properties of visible matter, researchers need to be able to model the properties of atomic nuclei with great accuracy.

The basic research that Andreas Ekström and his colleagues are working on sheds new light on topics ranging from neutron stars and their properties, to the innermost structure and decay of nuclei. Basic research in nuclear physics also provides essential input to astrophysics, atomic physics, and particle physics.





Plot of the energy and radius of the oxygen isotope 16-O for 100,000 different parametrisations of the strong nuclear interaction. Using the new method, the results were generated within a few minutes on a standard laptop. The dashed lines indicate the values of experimental data. Credit: Andreas Ekström and Yen Strandqvist/Chalmers University of Technology

Opening doors to completely new possibilities

"I am incredibly excited to be able to make calculations with such accuracy and efficiency. Compared with our previous methods, it feels like we are now computing at lightning speed. In our ongoing work here at Chalmers, we hope to improve the emulation method further, and perform advanced statistical analyzes of our quantum mechanical models. With this emulation method it appears that we can achieve results that were previously considered impossible. This certainly opens doors to completely new possibilities," says Andreas Ekström.



More on the mathematical shortcut

The new emulation method is based on something called eigenvector continuation (EVC). It allows for emulation of many quantum mechanical properties of atomic <u>nuclei</u> with incredible speed and accuracy. Instead of directly solving the time-consuming and complex many-body problem over and over again, researchers have created a mathematical shortcut, using a transformation into a special subspace. This makes it possible to utilize a few exact solutions in order to then obtain approximate solutions much faster.

If the emulator works well, it generates solutions that are almost exactly—circa 99 percent—similar to the solutions to the original problem. This is in many ways the same principles used in <u>machine</u> <u>learning</u>, but it is not a neural network or a Gaussian process—a completely new method underpins it. The EVC method for emulation is not limited to <u>atomic nuclei</u>, and the researchers are currently looking further into different types of applications.

More information: S. König et al, Eigenvector continuation as an efficient and accurate emulator for uncertainty quantification, *Physics Letters B* (2020). DOI: 10.1016/j.physletb.2020.135814

Andreas Ekström et al. Global Sensitivity Analysis of Bulk Properties of an Atomic Nucleus, *Physical Review Letters* (2019). <u>DOI:</u> <u>10.1103/PhysRevLett.123.252501</u>

Provided by Chalmers University of Technology

Citation: Solving complex physics problems at lightning speed (2021, February 1) retrieved 27 June 2024 from <u>https://phys.org/news/2021-02-complex-physics-problems-lightning.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.